JOURNAL *of* INTERDIMENSIONAL THOUGH

ESTABLISHED IN 2025 JUNE 02, 2025 VOL. 01 NO. 02

Digital Scent Technology and the Future of Sensory Experiences: A Detailed Analysis

Ahasun R. Tiko[1, 2, 3*] ID

ABSTRACT

While the current digital age has seen unprecedented advancements in visual and auditory experiences, olfaction one of humanity's most fundamental senses remains largely overlooked in digital platforms. This sensory gap limits immersion and the depth of realism in digital environments. This report provides a detailed analysis of the scientific foundations, technological capabilities, application areas, and associated challenges and future directions of digital scent technology. The discussion spans from the molecular basis of olfaction, biological perception, and its processing in the brain, to the analysis, encoding, artificial synthesis, and dynamic environmental control strategies of digital scents. Learning from historical failures (such as Smell-O-Vision), modern advancements in biology, nanotechnology, and artificial intelligence (AI) have opened new horizons for digital scent technology.1 Analytical tools like electronic noses (eNoses), Gas Chromatography-Mass Spectrometry (GCMS), and the Principal Odor Map (POM) have paved the way for transforming scents into "digital fingerprints". In artificial synthesis, advanced delivery techniques such as cartridge-based modular systems, microfluidics, micro-encapsulation, and ultrasonic atomization play crucial roles.1 For dynamic scent changes and environmental control, the integrated use of rapid emission and removal techniques is essential. Artificial intelligence is at the core of this technology's advancement, not only optimizing scent prediction and blending but also enabling "generative olfaction" to create new and innovative fragrances. This technology holds significant potential for widespread impact across various industries, including virtual reality (VR), gaming, cinema, advertising, education, and medicine. However, it is crucial to address legal and ethical challenges such as ensuring personalized olfactory experiences, guaranteeing accessibility for users with varying olfactory capabilities, and protecting intellectual property. If developed responsibly and ethically, this technology can elevate human digital experiences to unprecedented levels, providing a complete sensory immersion that goes beyond just sight and sound.

Author affiliations are listed at the end of the article. Ahasun R. Tiko can be contacted at ahasunroman@gmail.com or at Mohammadpur, Dhaka, Bangladesh.

*A complete list of contributors to this philosophical and theological inquiry is provided in the Supplementary Appendix, available upon request.

This article was published on May 31, 2025, at Journal Of Interdimensional Though.

JIdT 2025;01(02):06-40.
DOI: 10.5281/zenodo.15576970

Copyright © 2025 Ahasun R Tiko.

Scan (or click) this QR code to access and explore all available sources cited in this article.

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

INTRODUCTION: BRIDGING THE OLFACTORY GAP IN THE DIGITAL AGE

This chapter highlights the importance of digital scent technology, which is essential for immersive digital experiences. It discusses the historical context of technology development and the objectives and scope of current research.1

1.1. The Missing Sensory Dimension: The Importance of Scent in Digital Immersion

While the current digital age allows for realistic digital environments through three-dimensional graphics and high-quality audio, olfaction—one of humanity's most fundamental senses—remains largely overlooked in digital platforms.1 This fundamental sensory gap limits immersion and the depth of realism in digital environments.1 Integrating olfaction is essential for achieving a truly immersive digital experience, as it can enrich user experiences in various fields such as virtual reality, online shopping, gaming, and healthcare.1

This situation is identified as the "digital olfactory gap".1 It is not merely a technical flaw but an inherent and historical limitation in achieving true realism and emotional resonance on digital platforms, highlighting the urgent need for olfactory integration.1 Active research and development are essential to bridge this gap.1

Olfaction is often considered the "final frontier" of sensory computing.1 Unlike vision (wavelength to color) or hearing (frequency to pitch), molecules vary in much more complex ways, and mapping olfactory perception from chemical structures has been described as "highly ambiguous" and a "significant challenge".1 This inherent complexity of olfaction, combined with its direct, primal connection to emotions and memories, establishes it as the most challenging yet potentially most impactful sense to digitize.1 Achieving this ambitious goal represents a pinnacle of technological effort, capable of unlocking unprecedented levels of user experience and emotional connection.1

1.2. Historical Context and Lessons from Early Olfactory Technologies

In the past, early attempts to incorporate olfaction into cinema during the 1950s and 1960s faced significant technological hurdles.1 Projects like Hans Laube's Smell-O-Vision and Charles Weiss's AromaRama failed due to their limitations.1 Smell-O-Vision, used only in the film "Scent of Mystery" (1960), produced annoying hissing sounds when releasing scents.1 Scents reached the audience several seconds after the corresponding visual cues, and their intensity was inconsistent—sometimes too faint, sometimes too strong.1 In the case of AromaRama, the vast size of the theater required the release of enormous quantities of fragrance, leading to scents mixing and failing to materialize distinctly because previous odor molecules were not completely cleared.1

These historical failures highlight the inherent complexity of scent delivery and removal in dynamic digital media.1 They were not minor flaws but fundamental limitations that caused the failure of these technologies, identifying specific challenges for current research.1 This is known as the "dynamic scent paradox," where merely creating a scent is insufficient; it is essential to release and remove it quickly and cleanly on demand, in sync with dynamic content.1 This challenge requires sophisticated "push-pull" systems for both rapid emission and efficient removal, representing a significant engineering barrier.1

The growth of the current digital scent market is directly linked to advancements in virtual reality and biosensors, as well as the emergence of sophisticated technologies like electronic noses, scent diffusion systems, and olfactory sensors.1 This establishes a clear causal relationship: the concept of digital scent has always existed, but its widespread adoption and commercial viability depend on the maturity of underlying technologies.1 This means that continuous investment in research and development, particularly in engineering and materials science, is essential to overcome past failures and realize future potential.1

1.3. Report Objectives and Scope

The primary objective of this research is to shed light on the digitization of scent and its potential to enrich human sensory experiences.1 Its main goals

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

include analyzing the molecular structure of scents, exploring methods for their artificial synthesis, and identifying the technological challenges and solutions required for rapid scent changes in the environment.1 The ultimate aim of this research is to make human digital experiences more immersive and realistic.1 The potential impact of this technology can open new frontiers in virtual reality (VR), augmented reality (AR), gaming, cinema, advertising, education, and even medicine (e.g., therapy for patients with olfactory loss).1

The scope of this research highlights the necessity of deep integration across various fields.1 Its breadth extends from "molecular structure analysis" and "artificial synthesis" of scents (chemistry, materials science) to "technological challenges" and "environmental control" (chemical engineering, fluid dynamics, robotics).1 Furthermore, this field encompasses subjects like "chemistry, computer science, and psychology" 1 and "biochemistry, machine learning, data science, photonics, silicon engineering, and software engineering".1 This field is not merely multidisciplinary but demands deep integration and collaboration among these diverse branches.1 Breakthrough discoveries will occur not within isolated disciplines but at the intersections of these fields.1 This interdisciplinarity is a prerequisite for success in digital scent technology.1 The molecular, biological, and perceptual complexity of olfaction means that no single discipline can fully solve this problem.1 For example, understanding molecular structure (chemistry) is ineffective without a way to synthesize it (engineering) or map it to perception (AI/neuroscience).1 Therefore, successful research strategies require a truly interdisciplinary fusion that brings together experts from seemingly disparate domains to tackle the complex, interconnected challenges of digital scent technology.1

FUNDAMENTAL SCIENCE OF SCENT AND OLFACTION

This chapter discusses the scientific basis of scent, from its molecular structure to its perception in the human olfactory system, and the theories and methods used for its classification and digital coding.1

2.1. Molecular Basis of Odor: Chemical Structure, Volatility, and Stability

Scent is primarily composed of volatile organic compounds (VOCs) that float in the air and stimulate olfactory receptors.1 To effectively digitize and synthesize scent, a thorough understanding of its chemical structure and the physical properties of odor-causing molecules is essential.1 Perfumes are mainly composed of fragrance oils, water, and alcohol.1 Technological advancements in the late 19th century made it possible to create artificial fragrance components from precise combinations of chemical compounds.1 Fragrance oils are classified based on their origin (natural, e.g., from flowers or fruits; or artificial, created in laboratories) and their concentration.1 For example, perfumes contain 25% fragrance oils, eau de parfum 15-18%, eau de toilette 10%, and eau de cologne less than 10%.1 The concentration of fragrance oils determines the intensity and longevity of the scent.1 An odor is perceived only when a molecule is volatile enough to float in the air.1 These molecules are typically semi-volatile organic compounds, and their molecular weight rarely exceeds 260 AMU.1 However, not every molecule floating in the air has a detectable odor (e.g., carbon monoxide).1 Perfume chemists create unique and specific scents by subtly combining synthetic chemicals and natural fragrance extracts.1 Techniques like headspace analysis are used to vacuum the scent from an object and create its chemical equation or "print out," which then helps to recreate the scent.1 The stability of fragrance molecules is a crucial factor; light can cause chemical reactions that break down the bonds of fragrance molecules, altering their scent.1 For example, bright sunlight can spoil a perfume within a week.1

A significant paradox exists here, known as the "volatility paradox": odor-causing molecules must be light and semi-volatile enough to float in the air, which is essential for their perception.1 However, this inherent volatility also causes their rapid decay.1 This situation creates a fundamental engineering challenge: how to design scent delivery systems so that volatile molecules are released quickly and accurately, while ensuring their stability during storage and preventing premature decay.1 This requires not only advanced chemical synthesis

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

but also innovative materials science for robust encapsulation and controlled release, to maintain scent integrity over time and in various environmental conditions.1

The user's question asked about "digital 'scent recipes' or 'molecular fingerprints'".1 The information obtained indicates that perfumers know the "correct composition" 1 and headspace analysis provides a "chemical equation" that can recreate the scent.1 However, Osmo's technology uses GCMS data to map to a Principal Odor Map (POM) to predict "what a specific molecular combination smells like".1 This suggests two distinct approaches: a precise "recipe" (correct molecular composition and ratio) and a "fingerprint" (a characteristic pattern or signature of molecules).1 Since human olfaction perceives complex mixtures as "a holistic entity" 1, the most effective path for digital scent reproduction is likely not to create a perfect replica of every single molecule, but rather to create a "perceptual fingerprint" that reliably triggers the desired olfactory experience.1 This highlights the concept of a "perceptual fingerprint," where fidelity to human perception is more important than chemical exactness.1 This could significantly impact the complexity, cost, and effectiveness of scent synthesis and storage, making it possible to reproduce a wider range of scents using fewer basic chemicals.1

Table 2.1.1: Key Chemical Properties of Odor Molecules and Their Impact on Digital Scent Reproduction

Property	Description	Impact on Digital Scent Reproduction
Volatility	The ability of molecules to easily evaporate into the air.	Essential for perception, but causes rapid dissipation and decay; requires controlled release and encapsulation.[1]
Molecular Structure	The three-dimensional shape and chemical bonds of molecules.	Determines scent quality and intensity; requires accurate chemical replication or perceptual fingerprint.[1]
Stability	The ability of molecules to remain chemically unchanged under the influence of light, heat, or other environmental factors.	Important for long-term storage and consistent scent; requires encapsulation and protective measures.[1]
Concentration	The proportion of fragrance molecules in fragrance oils or the final mixture.	Affects perceived intensity and longevity; requires precise blending and delivery systems.[1]
Chemical Composition	The mixture of various synthetic and natural extracts used in fragrance creation.	Creates unique and specific scents; acts as a "recipe" or "fingerprint" for digital encoding and synthesis.[1]

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

Molecular Weight	The weight of odor-causing molecules.	Typically low molecular weight (below ~260 AMU) is essential for volatility.[1]

2.2. Biological Perception: Human and Animal Olfactory Systems and Individual Differences

Understanding how humans and animals perceive odors is essential for designing digital systems and evaluating their effectiveness.1 There are significant differences in olfactory acuity among various species.1 For example, a common dog's sense of smell is 100 times greater than a human's, a bloodhound's 300 times greater, and a bear's 2,100 times greater.1 In humans, odor perception begins in the back of the nose, where millions of sensory neurons in the olfactory epithelium contain approximately 450 types of olfactory receptors (ORs).1 In comparison, dogs have nearly twice as many OR types.1 The complexity of olfaction arises because each OR can be activated by multiple different odor molecules, and conversely, each odor molecule can activate multiple different types of ORs.1 This combinatorial activation creates a complex neural signal that the brain interprets as a specific scent.1

Once an odor molecule binds to a receptor, an electrical signal is generated that travels from the sensory neuron to the olfactory bulb.1 From there, the signal is transmitted to various higher brain regions for further processing, including: the piriform cortex (involved in odor identification) 1; the thalamus (acts as a relay station for sensory information and transmits some odor information to the orbitofrontal cortex, where it integrates with taste information, explaining why smell is essential for perceiving the taste of food and beverages) 1; the hippocampus and amygdala, key brain regions involved in learning and memory, receive odor information from the thalamus.1 This direct connection explains why scents can powerfully evoke emotions and specific memories.1 The olfactory system is often considered the most "primitive" sensory system due to its early phylogenetic development and direct connection to older, unconscious parts of the brain, influencing emotions and memories before conscious identification.1

The vast differences in olfactory acuity among species 1 and, more importantly, significant genetic variations within the human population 1 pose a profound challenge for digital scent technology.1 Anosmia (loss of smell) affects approximately 5% of the population, while hyperosmia (increased sensitivity to smell) can be a genetic trait.1 Olfactory dysfunction is also among the early symptoms of several neurodegenerative diseases like Parkinson's and Alzheimer's.1 This is known as the "personalized perception challenge".1 A system designed to deliver a "standard" scent might be imperceptible to some users (e.g., those with hyposmia or specific anosmia) or overwhelmingly strong to others (e.g., those with hyperosmia).1 This means that achieving a truly "realistic" or "immersive" experience requires moving beyond a "one-size-fits-all" approach.1 Instead, it necessitates understanding and potentially adapting to individual differences in olfactory perception.1 This is a "human-centric precision" problem, where the goal is not an objective chemical state but a subjective, personalized perceptual experience.1 This understanding points to the need for user-specific calibration, personalized scent profiles, and adaptive delivery systems to ensure optimal and inclusive user experiences.1

The strong and direct connection between the olfactory system and brain regions responsible for emotion and memory (hippocampus, amygdala, limbic system) 1 has been repeatedly emphasized. This is not just an interesting biological fact but has profound implications for digital scent applications.1 Unlike sight or hearing, smell has a unique, primal ability to evoke powerful emotional responses and vivid memories, often before a scent is consciously identified.1 This suggests that digital scent technology can tap into a deeper, more visceral level of engagement.1 By integrating emotionally resonant or memory-triggering scents, digital experiences can become not just more immersive but profoundly more impactful, memorable, and emotionally rich.1 This provides a powerful tool for storytelling, marketing, therapy,

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

and education, creating true emotional connections beyond superficial sensory input.1

Table 2.2.1: Olfactory Capabilities Across Species and Human Individual Differences

Feature	Human Olfaction	Dog Olfaction	Bear Olfaction	Anosmia (Loss of Smell)	Hyperosmia (Increased Sensitivity)
Relative Acuity	Baseline (1x)	100x	2,100x	0x (or very low)	>1x (genetic)
Olfactory Receptor (OR) Types	~450	~900+	Unknown	Lack of functional ORs	Enhanced function of specific ORs
Brain Connection	Direct connection to limbic system	Direct connection to limbic system	Direct connection to limbic system	Impaired olfactory processing in brain	Enhanced signaling in olfactory processing in brain
Digital Scent Impact	Standard experience	Greater sensitivity required	Extremely greater sensitivity required	May be imperceptible; therapeutic need	May be overwhelmingl y strong; fine control needed
Perceptual Variability	Influenced by genetics, age, disease	High species-specific sensitivity	Extremely high species-specific sensitivity	Personalized therapy & calibration	Personalized calibration & delivery

2.3. Theories of Odor Classification: Towards a Continuous Olfactory Space

The user's specific question, "Are there some fundamental scents, like RGB colors, that can be mixed to create all other scents?" 1, highlights a long-standing and complex challenge in olfaction science.1 Mapping olfactory perception from chemical structures has been described as "highly ambiguous" and a "significant challenge".1 Unlike visual stimuli (photons), molecules vary in much more complex ways, and effective, comprehensive maps for odor have historically been absent.1 Despite this complexity, the idea of reproducing scents by mixing 'basic odors' is a central concept, but defining these 'primary odors' has proven difficult due to the inherent complexity of our sense of smell.1

Traditional theories of odor classification include: Amoore's stereochemical theory, which proposes seven primary odor classes based on molecular shape: ethereal, camphoraceous, musky, floral, pepperminty, pungent, and putrid.1 Henning's odor prism is a three-dimensional model that

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

organizes six primary odor classes at its corners: flowery, fruity, resinous, spicy, putrid, and burnt.1 The Crocker-Henderson system classifies odors using four dimensions (fragrant, acid, burnt, caprylic), each rated on a scale.1 Zwaardemaker's smell system divides odors into nine main classes: ethereal, aromatic, fragrant, ambrosiac, alliaceous, empyreumatic, hircine, foul, and nauseous, with subclasses.1 A 2013 study, based on statistical analysis of Andrew Dravnieks' 1985 atlas, proposed 10 basic odor categories: fragrant, woody/resinous, fruity (non-citrus), chemical, minty/peppermint, sweet, popcorn, lemon, pungent, and putrid.1

More recently, Google developed a Graph Neural Network (GNN) model in 2019 that explores thousands of distinct molecules and the odor labels they produce.1 This led to the introduction of the "Principal Odor Map" (POM), which represents each odorous molecule as a fixed-length vector in a high-dimensional space.1 POM exhibits properties of a sensory map: perceptually similar odors are located at nearby points, and it enables the prediction and discovery of new odors.1 It also reveals a connection between olfaction and metabolic pathways.1 Current research indicates that proposed combinations of fragrance ingredients are generally successful in creating specific, intended scents, but the range of reproducible scents varies depending on the selection of basic scents.1

The user's direct question about "primary odors" 1 reflects a common desire for a simple, reductionist model of olfaction, analogous to color vision. However, the information obtained indicates that while historical theories proposed specific categories (e.g., Amoore, Henning) 1, the general consensus is that defining true "primary odors" is difficult due to the vast complexity of smell.1 The groundbreaking discovery represented by Google's Principal Odor Map (POM) 1 indicates a paradigm shift. Instead of a small, discrete set of "primary" components, POM operates in a high-dimensional vector space.1 This means that digital scent synthesis will likely not rely on mixing a few "primary" cartridges but rather on sophisticated algorithms to find optimal molecular combinations that map to desired perceptual outcomes.1 This is a shift from a discrete, reductionist model to a continuous, generative model, made possible by advanced AI and machine learning.1 This is referred to as the paradigm shift towards a "continuous olfactory space".1

Accurate mapping of odor perception from molecular structures has been a "significant challenge" and "highly ambiguous" for centuries.1 The development of Graph Neural Networks (GNNs) and the Principal Odor Map (POM) 1 is presented as a significant breakthrough, enabling previously impossible tasks such as predicting and discovering new odors.1 This establishes a clear causal link: AI and machine learning are not just computational tools for optimization; they provide fundamental capabilities for understanding the complex, non-linear relationships between chemical structures and human olfactory perception.1 Without AI's ability to process vast, high-dimensional datasets, the sheer combinatorial complexity of molecular variations and their associated perceptual responses would have remained largely intractable.1 This means that AI is central to developing robust digital scent standards and efficient, perceptually accurate synthesis capabilities.1

2.4. Olfactory Coding and Chemoinformatics: Mapping from Structure to Perception

This section discusses how the brain processes odor information and how computational chemistry and machine learning are used to predict odor properties from molecular structures.1 Olfaction works through a combinatorial receptor coding system: a single odor molecule can activate multiple olfactory receptors (ORs), and conversely, a single OR can interact with multiple structurally similar odor molecules.1 This creates a unique "receptor activation profile" for each odor.1 The brain processes the patterns generated by activated olfactory neuron circuits, which are then integrated in the olfactory bulb and from there transmitted to higher brain regions.1 These regions include the piriform cortex (involved in odor learning and memory retrieval) and the posterolateral cortical amygdala (controls innate odor-driven behaviors).1

Mapping odor perception from molecular structures remains a key challenge in olfaction science.1 Recent research uses machine learning and deep learning, where molecular fingerprints,

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

mass spectra, and vibrational spectra are used as features.1 Molecular fingerprints (bit-based or count-based Morgan fingerprints) capture physical properties and the presence/absence of specific substructures.1 Vibrational spectra are used based on the vibrational theory of olfaction, which establishes a strong relationship between an molecule's infrared vibrational frequencies and its olfactory properties.1 Mass spectrometry can identify chemical mixtures, making it useful for odor classification.1 The DREAM Olfaction Prediction Challenge 1 was an important initiative that encouraged the development of machine learning algorithms for odor prediction based on chemoinformatic features.1

AI models are increasingly being used to automate fragrance creation.1 For example, the Odor Generative Diffusion (OGDiffusion) model uses generative diffusion networks to create new fragrance profiles by integrating mass spectrometry profiles of fragrance oils with odor descriptors, which can eliminate the need for human intervention at some stages.1 Challenges in molecular odor prediction include accurately capturing complex molecular interactions, dealing with imbalanced datasets, and solving non-smooth objective functions.1 New molecular feature mapping methods are being explored to overcome these issues, including feature importance learning and frequency modulation.1

The fundamental basis of biological olfaction is the combinatorial activation of olfactory receptors 1, where a specific pattern of receptor activation defines a unique odor.1 Digital scent technology aims to "mimic how the human brain detects and differentiates odors".1 This means that the most effective digital encoding standard for scent (user's question: "molecular fingerprint") should ideally be based on predicting and replicating these receptor activation profiles, not just raw, complete molecular structures.1 This is a crucial shift: from a purely chemical blueprint to a biologically informed perceptual blueprint.1 This concept is called the "biological blueprint".1 AI models are now actively trying to map odor molecules to their OR activation profiles and then predict perceptions 1, indicating that this is the most promising path to truly "digitize scent" at a perceptually relevant level, enabling more efficient and accurate synthesis.1

While most discussions on digital scent focus on recreating existing odors, the development of models like OGDiffusion 1 indicates a significant advancement.1 This model uses generative diffusion networks to create new fragrances based on user-defined descriptors, which can eliminate the need for human perfumers at some stages.1 This is a powerful implication: AI is not just a tool for analysis, prediction, or replication; it is gaining the ability for creative synthesis.1 This represents a paradigm shift from merely digitizing the known world of scents to enabling computers to invent new olfactory experiences, transcending existing natural or artificial fragrances.1 This capability is considered "AI as a creator".1

DIGITAL SCENT TRANSMISSION AND ARTIFICIAL SYNTHESIS

This chapter examines the core processes of digital scent technology: how a physical scent is converted into digital data, how this data is stored and transmitted, and how it is artificially re-synthesized.1

The first and most crucial step in digital scent technology is to analyze a physical scent at the molecular level and then convert it into a digital data format that can be used for storage, transmission, and ultimately, reproduction.1 Scent digitization is a multi-stage process, typically beginning with the use of devices like actometers and electronic noses.1

Electronic noses (eNoses) are electronic sensing devices that mimic human olfaction to detect and recognize odors or tastes.1 They perceive odors as a "global fingerprint" without separating individual components.1 An e-nose system consists of three main parts: a sample delivery system that generates the headspace (volatile compounds) of a sample and introduces it into the detection system, ensuring consistent operating conditions.1 The detection system comprises a sensor array (e.g., metal-oxide-semiconductor devices, conducting polymers, quartz crystal microbalances, surface acoustic wave, mass spectrometers).1 These sensors undergo physical changes when exposed to

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

volatile compounds, which are converted into a digital signal.1 Bio-electronic noses, a special type, use olfactory receptors cloned from biological organisms (like humans) that bind to specific odor molecules, providing extremely high sensitivity.1 The computing system integrates sensor responses for global fingerprint analysis.1 It uses pattern recognition algorithms, statistical models, and AI (e.g., artificial neural networks, fuzzy logic, chemometrics) to analyze chemical components and match them with a database of known odors.1 E-noses are trained with qualified samples to create a reference database, which helps them recognize new samples by comparing them to their volatile compound fingerprints.1 Ainos' AI Nose platform uses MEMS gas sensors and proprietary AI models to digitize odors into "Smell IDs," achieving high accuracy in various applications.1

Osmo's scent teleportation technology uses Gas Chromatography-Mass Spectrometry (GCMS) to identify and analyze the substances in a sample.1 For solid samples, headspace analysis (trapping the odor in the air around the object and absorbing it through a tube) is used.1 The raw data obtained from GCMS is then sent to the cloud and displayed as a coordinate on Osmo's Principal Odor Map (POM).1 Aryballe's Approach, a pioneer in digital olfaction, combines biomimicry and advanced optical instrumentation.1 Their technology uses peptides grafted onto silicon wafers or sensing receptors found in the human nose/tongue to detect various odors.1 Their NeOse device captures "fingerprints" of complex scent profiles and uses AI for insights.1 Challenges include the difficulty of converting complex odor components into digital information.1 E-noses can misinterpret odors composed of multiple different molecules, leading to inaccurate or erroneous results.1 Olfactory perceptual fingerprints (OPF), while odorant-neutral, can be influenced by diagnosis and age, indicating individual variability.1

The functionality of e-noses is described as a combination of sensors (detection system) and computing systems (pattern recognition, statistical models, AI).1 Companies like Aryballe explicitly state that they combine "biochemical sensors, machine learning, and advanced optics".1 Ainos uses MEMS gas sensors and AI models to digitize odors into "Smell IDs".1 This highlights a deep symbiotic relationship, termed "intelligence amplification": advanced sensor hardware provides raw chemical data (the nose), but it is sophisticated AI algorithms (the brain) that interpret this data, recognize complex patterns, and transform them into meaningful "scent fingerprints" or "perceptual maps".1 Neither of these components is fully effective in isolation.1 This relationship indicates that the continuous advancement of digital scent technology relies on breakthroughs in both sensor design (e.g., biomimicry, miniaturization, sensitivity) and AI/ML for enhanced data processing, interpretation, and prediction.1 The intelligence of the system arises from their seamless integration.1

Table 3.1.1: Key Technologies for Scent Analysis and Digitization

Technology	**Process/Principle**	**Output/Functionality**	**Key Features/Examples**
Electronic Nose (eNose)	Sensor array + pattern recognition	Odor fingerprint	Perceives odor as a global fingerprint, matches with database of known odors [1]
Bio-Electronic Nose	Biological receptors +	Odor fingerprint	Uses olfactory receptors

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

	pattern recognition		cloned from human nose, high sensitivity [1]
Gas Chromatography-Mass Spectrometry (GCMS)	Separation and identification of volatile compounds	Chemical structure, molecular data	Headspace analysis for solid samples, sends raw data to cloud [1]
Principal Odor Map (POM)	High-dimensional mapping of odor-causing molecules	Perceptual coordinates, odor property prediction	AI-driven tool, predicts what a molecular combination smells like [1]
Aryballe's Technology	Peptide/receptor-based sensing + optical instrumentation + AI	Odor fingerprint, odor property identification	Uses biomimicry, captures "fingerprints" of complex scent profiles [1]
Ainos AI Nose	MEMS gas sensor array + AI model	Smell IDs, health monitoring	85-90% accuracy in fecal odor detection, applied in smart infrastructure [1]

3.2. Data Transfer and Storage: "Scent Files"

Once a scent is digitized, its effective transfer across digital platforms and storage as "scent files" is crucial.1 Digital olfaction refers to the process of capturing, transmitting, and recreating scents using sensors and software.1 The Digital Olfaction Society (DOS) aims to create devices for recording, digitizing, transmitting, and recreating odors globally.1 Osmo is a key player in this field, digitizing scents using Google Cloud AI and successfully "teleporting" scents (e.g., a piece of coconut, a plum) from one end of the world to another.1 In this process, GCMS data is sent to the cloud and displayed as a coordinate on their Principal Odor Map (POM).1 Digital scent information can be encoded in digital form and then decoded by a compatible scent synthesizer at the user's end, enabling "teleolfaction" over the internet.1

Digital scent files are small, indexed based on chemical composition and scent spectrum, and can be attached to online content or emails.1 The concept of "Scentography" refers to creating and storing scents by chemically and electronically recreating an odor.1 This enables the integration of scents with digital multimedia (games, DVDs, websites) and the creation of scent-based communication like scented mail or "Notice 'n Shop" electronic stands.1 Challenges exist in representing scent cues online, as their elusive nature makes them difficult to directly capture, display, or transmit through traditional digital formats.1 This complicates intellectual property protection.1 A universally accepted digital format for scent is currently absent.1 Software like Olfactory Data Interpreter (ODI) can process and interpret olfactory data, loading chromatogram data (from MS, FID, SCD) and olfactograms (sensory analyst comments and intensity).1 ODI presents combined and cumulative olfactograms, calculates Aroma Extract Dilution Analysis (AEDA), and processes sensory panel data.1 AI algorithms can analyze scent profiles and adapt them for different contexts, improving accuracy and relevance.1

Scent information transfer is not just about sending raw molecules, but rather digital "recipes" or

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

"fingerprints" that describe the perceptual qualities of a scent.1 This is much like how image or audio files encode visual or auditory information, but not physical light waves or sound vibrations.1 The reliance on POM and indexed scent files further reinforces this point.1 This indicates a significant shift, where the digital representation is not a complete replica of physical molecules but an abstraction relevant to human perception.1 This "perceptual abstraction" is crucial for managing the vast complexity of natural odors and for efficient data transfer and synthesis, as it emphasizes perceptual accuracy over complete chemical replication.1

The difficulty of digitally representing scent cues online and the lack of a universal format create significant challenges for intellectual property protection.1 This is a crucial legal and standardization barrier that needs to be addressed for widespread commercial adoption and innovation in digital scent.1 These challenges indicate that alongside technological advancements, legal and industry standardization efforts are equally important.1 This problem is referred to as the "standardization gap," which is a major obstacle to ubiquitous olfactory computing.1

3.3. Artificial Synthesis: Recreating Olfactory Experiences

This section examines the process of recreating scents from digital information and the scent synthesizers and underlying technologies involved.1 Scent reproduction is the final stage where a digital signature is decoded and the scent is recreated by a "scent synthesizer".1 These devices reproduce desired scents by mixing "odor chemicals" from cartridges, much like a printer uses different color ink cartridges.1 A scent synthesizer typically contains a cartridge with various fragrance oils that can be mixed in specific proportions.1 Software controls the device to release scents at specific times in digital content or in response to specific triggers.1 Cartridges can contain a collection of chemicals (e.g., 10,000 different scents can be created from 128 chemicals).1 These chemicals are activated by heat or air pressure when they receive a signal from a computer.1

Sony's Next-gen Olfactometry System uses their proprietary Odor Control Technology and Tensor Valve™ Technology to create highly sealed cartridges, preventing odor leakage and contamination.1 It can hold up to 40 scents per cartridge and present them quickly (in about 3 seconds).1 Microfluidic devices are being developed for controlled release of fragrance compounds at controlled intervals.1 These wearable devices can pump fragrance material onto a surface for evaporation, activated by solid-state switching devices and powered by batteries.1 They can have multiple liquid reservoirs, each with a different fragrance.1 Micro-encapsulation techniques store fragrance molecules within microscopic capsules that release scent when triggered by electronic signals, helping to precisely control intensity and timing.1 This enhances scent stability and protects them.1 High-pressure emission systems are used for odors, capable of releasing precise scents across a wide flow range.1 Micro-droplet technology (nebulization, micronization, cold evaporation) converts pure fragrance oils into a smoke-like mist of micro-droplets (<1 micron) that float in the air for extended periods, ensuring homogeneous distribution without solvents or heat.1 Ultrasonic atomization is used for rapid, 1-second scent emission.1 Piezoelectric atomizers use high-frequency vibrations to break liquids into fine particles, suitable for rapid and precise scent delivery.1 Challenges for olfactory displays include limitations on the number of scents that can be stored, created, and diffused, as well as delivery methods and diffusion distance.1 Achieving sub-second response times, miniaturization, and low power consumption remains a significant challenge.1

The consistent mention of "cartridges" containing "odor chemicals" or "fragrance oils" and mixing them in specific proportions strongly indicates that a modular, cartridge-based system is the conventional method for artificial scent synthesis.1 This allows for creating a wide range of perceived odors by combining a limited number of "basic" components, optimizing storage and delivery.1 This method is called the "modularity imperative," which is essential for managing the vast complexity of the olfactory space.1

The need for rapid scent changes and controlled

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

delivery in the environment pushes the boundaries of delivery systems.1 Technologies like microfluidics, micro-encapsulation, high-pressure systems, and micro-droplet/ultrasonic atomization are attempting to achieve precise, localized, and dynamic scent emission.1 This highlights that the challenge is not just what to synthesize, but how to deliver it with sufficient speed, accuracy, and spatial control, in sync with digital content.1 This combined approach is called the "push-pull imperative".1

Table 3.3.1: Scent Synthesizer Technologies and Their Processes

Technology /Method	**Process**	**Speed/Response Time**	**Spatial Control**	**Key Features/Advantages**	**Challenges**
Cartridge-based Mixing	Mixing of base chemicals by electronically controlled valves/pumps	Seconds to a few seconds	Device-dependent (personal/environmental)	Modular, wide scent range, easy replacement	Scent mixing, need for rapid removal
Microfluidic Dispensing	Pumping fragrance material onto a surface for evaporation	Milliseconds to seconds	Personal/Wearable	Wearable, controlled release, no direct skin application needed	Miniaturization, power consumption, complex design
Micro-encapsulation	Storing odor molecules in microscopic capsules, released by electronic signals	Seconds to minutes (trigger-dependent)	Personal/Wearable/Surface	Enhanced stability, precise intensity control, long-lasting scent	Complex triggering process, cost
High-pressure Emission	Aerosolization of fragrance molecules under high pressure	Seconds	Targeted/Environment-wide	Precise scent emission across a wide flow range	Energy consumption, noise, need for rapid removal
Ultrasonic Atomization/Piezoelectric	Converting liquid into fine particles by	1 second	Personal/Small space	Rapid emission, fine mist, no	Clogging, consistency,

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

Atomization	high-frequency vibration			solvents or heat needed	maintenance

DYNAMIC SCENT CHANGE AND ENVIRONMENTAL CONTROL

This chapter discusses the complexities of dynamic scent management for immersive digital experiences, including rapid emission, efficient removal, and subtle control of ambient air.1

4.1. Rapid Scent Change: Emission and Removal Techniques

For truly immersive experiences, digital scent systems must be capable of rapid scent changes, requiring efficient emission of new scents and quick removal of old ones.1 The user's question emphasizes the need for a machine to rapidly change scents in sync with video or clip scenes, including quickly removing previous scents and accurately creating and emitting new ones.1

Scent Removal Techniques:

Air Purifiers: These are highly effective at reducing various types of odors (smoke, pet odors, cooking odors, mold, garbage, chemicals, body odors).1 They use HEPA filters to trap airborne particles (smoke, mold spores, bacteria, viruses) and activated carbon filters to absorb gaseous pollutants (VOCs, odor molecules).1 Activated carbon chemically binds with odor-causing molecules.1 Industrial Odor Control Systems: These use activated carbon filters, wet chemical scrubbers (for strong odors/large volumes), and thermal/catalytic oxidizers (burn/break down odor compounds).1 Cold plasma 1 and biofilters 1 are also used. Cold plasma generates active oxygen that rapidly oxidizes odor particles at room temperature.1 Biofilters use microorganisms to convert odor compounds into carbon dioxide and water.1 Airflow Control: Strong airflow can dilute odor concentration.1 Atmospheric turbulence and dispersion spread and dilute odor plumes, with dispersion increasing with mechanical/thermal turbulence and wind speed.1 Obstacles like hills, trees, or buildings increase turbulence, aiding dispersion.1 However, weak dispersion can occur with minimal airflow or temperature inversions near surfaces.1 Active Scent Scrubbing: Aryballe's NeOse system "rejuvenates" the sensor surface by pumping 'clean' neutral air, removing interacting VOCs when the odor source is removed.1 Some olfactory display systems include mechanisms like fans and air filters that remove diffused odors.1 Trade-offs of Rapid Odor Removal Technologies: Activated carbon, while effective, can be slow for rapid changes.1 Chemical scrubbers are highly efficient but can be complex and expensive.1 UV/Ozone treatment can break down molecules, but safety considerations regarding ozone production are necessary.1

Rapid Scent Emission/Diffusion:

High-pressure Emission: Systems designed for precise odor release across a wide flow range.1 Targeted Airflow/Vortex Rings: "Smelling screens" use four fans to create colliding airflows directed towards the user from a specific screen position, introducing scent vapor into this airflow.1 This helps to shift virtual odor sources by balancing airflow.1 Vortex rings deliver scent by sending a burst of "odor-carrying air" directly to the user's nose, trapping the scent until the ring dissipates.1 Disney's "Smellitizer" uses strong airflows to rapidly release molecules from scented materials.1 Micro-droplet/Ultrasonic Atomization: Converts liquid fragrances into nano-droplets (<1 micron) that float in the air for hours, ensuring homogeneous mixing without solvents or heat.1 Ultrasonic atomization is used for rapid, 1-second scent emission.1 Piezoelectric atomizers are used for fine mist and precise droplet emission.1 OVR Technology's ION uses piezoelectric atomization to activate scents in milliseconds and dissipate them quickly.1 Programmable Diffusion: Smart diffusers (e.g., Pura, ScentVox) allow app-controlled features to set intensity, duration, and schedule, with some detecting movement to start/stop scent.1 AI can dynamically adjust scent output based on user preferences, location, or in-game actions.1

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

The core challenge is not just creating a scent, but managing its presence in a dynamic environment, requiring both rapid introduction and efficient removal of old odors.1 This is crucial for maintaining perceptual consistency with rapidly changing digital content.1 Effective dynamic scent control requires a combined approach: "push" mechanisms for rapid, targeted emission (high-pressure, micro-droplet, vortex rings) and "pull" mechanisms for rapid, efficient removal (air purification, activated carbon, controlled airflow).1 The integration of these active "scrubbing" technologies is essential to prevent lingering odors and ensure clean transitions.1 This combined approach is called the "push-pull imperative".1

Table 4.1.1: Comparison of Scent Emission Technologies

Technology	Process	Speed/Response Time	Spatial Control	Lingering Effects	Ideal Application
High-pressure Emission	Aerosolization of fragrance molecules under high pressure	Seconds	Targeted/Environment-wide	Moderate	Industrial, large spaces, rapid diffusion [1]
Targeted Airflow/Vortex Rings	Scented air directed to user via airflow/vortex rings	Milliseconds to seconds	Highly localized/directional	Low	VR/AR headsets, gaming screens [1]
Micro-droplet/Ultrasonic Atomization	Converting liquid into fine particles (nano-droplets)	1 second	Personal/Small space	Low	Personal diffusers, wearable devices [1]
Micro-encapsulation	Release of scent from tiny capsules by electronic signals	Seconds to minutes (trigger-dependent)	Personal/Surface-based	Low to moderate	Wearable devices, textiles, controlled release [1]

Table 4.1.2: Comparison of Odor Removal Technologies

Technology	Process	Effectiveness	Speed	Trade-offs	Ideal Application

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

Activated Carbon Filters	Adsorption of odor molecules on porous surface	High for VOCs, common odors	Slow	Saturation, filter replacement needed [1]	General air quality, static environments
Chemical Scrubbers	Neutralization of odor molecules by chemical reaction	Extremely high for specific compounds	Fast	Complexity, cost, waste generation [1]	Industrial environments, strong odors
Cold Plasma	Oxidation of odor molecules by active oxygen	High for VOCs, odors	Fast	Ozone production, energy consumption [1]	Industrial, commercial spaces, real-time removal
Biofilters	Biological breakdown of odor molecules by microorganisms	High for VOCs, H2S	Slow (acclimation needed)	Acclimation time, humidity control [1]	Wastewater treatment plants, agriculture
Targeted Airflow/Air Curtains	Dilution or obstruction of odor by strong airflow	Dilution/Physical barrier	Fast	Energy consumption, does not completely eliminate odor [1]	Entrances, large spaces, rapid changes

4.2. Environmental Air Manipulation: Controlling Flow, Concentration, and Diffusion

Beyond scent emission and removal, advanced digital scent systems must subtly control the existing air in the user's environment to influence scent flow, concentration, and diffusion.1 The user's question asked how a scent synthesizer machine manipulates or controls the existing air in a room to affect scent flow, concentration, and distribution.1

Air Exchange Systems: HVAC systems can be transformed into "scent machines" to enhance entire spaces (up to 3000 sq ft), automatically releasing scents according to a schedule, with control over intensity and duration.1 Cold-air diffusion technology releases a dry mist of pure fragrance.1 Companies like ScentBridge offer integrated systems with HVAC that can distribute scents in spaces larger than 5000 sq ft.1 Air Curtains: Create an invisible barrier of air at doorways, preventing unpleasant odors from spreading from one area to another and blocking

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

outside air entry.1 They help prevent odor spread in various settings.1

Targeted Airflow/Spatial Scent Technology: VR scent generators can use spatial scent technology to emit scents from specific locations in virtual environments, using sensors and algorithms to determine user position/orientation.1 The "smelling screen" system uses colliding airflows from four fans to direct scent towards the user from a specific point on a 2D screen, where the airflow speed is below human sensory thresholds.1 Disney's "Smellitizer" system uses nozzles and fans to direct scented air towards the audience.1 Controlling Odor Availability: Temperature significantly affects vapor pressure and thus odor concentration in the headspace (warmer conditions increase availability, cooler conditions decrease it).1 Air speed and direction, convective flows, and objects obstructing flow (e.g., surface roughness) all influence odor mixing and spatial/temporal patterns.1 Large objects can create "wakes" where odors concentrate, and sources near surfaces (boundary layers) can trap odor signals locally.1

AI Integration: AI can analyze environmental data to predict optimal scent distribution and dynamically adjust scent output for personalized experiences.1 OVR's AI-enhanced system analyzes VR environments and user interactions to trigger appropriate scents (e.g., pine in a forest game).1

Controlling scent flow, concentration, and diffusion means actively "sculpting" the olfactory environment, not just releasing a generic scent.1 This requires precise control of airflow, temperature, and even surface interactions to create localized, dynamic scent zones consistent with digital content.1 This process is called "olfactory sculpting".1 Integrating AI with environmental sensors (e.g., user position, physiological data, digital content analysis) is crucial for creating truly intelligent scent systems.1 These systems can adapt scent delivery in real-time, making the experience dynamic, personalized, and perceptually consistent with the digital narrative.1

DISCUSSION: IMPACT, APPLICATIONS, AND CHALLENGES

This chapter provides a detailed discussion of the neuroscientific basis of digital scent technology, its potential application areas, market dynamics, and the associated current challenges and future directions.1

5.1. Neuroscientific Basis of Olfactory Perception in Digital Contexts

5.1.1. Olfactory Pathways and Brain Regions: Memory, Emotion, and Behavior

The unique anatomy of the olfactory network, including the olfactory bulb, piriform, and entorhinal cortex, provides direct access to the limbic system.1 This makes it particularly interesting for studying how sensory processing can be modulated by learning and memory.1 Unlike other sensory systems, the sense of smell is not routed through the thalamus to the cortex.1 Instead, odor information is transmitted directly to the limbic system, a brain region commonly associated with memory and emotional processes.1 This direct connection gives olfaction a unique and powerful ability to influence mood, aid in acquiring new information, and use information in various contexts, including social interactions.1

Odors are powerful stimuli that can evoke emotional states and support learning and memory.1 They serve as effective retrieval cues for emotional episodic memories.1 Olfaction is crucial for essential behaviors for individual and species survival, including predator detection, recognition of individuals for reproduction or social hierarchy, food location, and attachment between mating pairs and child-caregivers.1 The consistent early development of olfactory function across species highlights its fundamental role.1 Olfactory behavior plays a significant role in exploratory behaviors.1 Brain imaging studies have shown that specific brain regions are activated in experts during wine tasting, demonstrating a more immediate and targeted sensory response to wine

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

stimuli.1 Research also suggests that odor memory consolidation can occur during sleep.1

The direct pathway of olfaction to the limbic system, bypassing the thalamus, allows digital scent to operate at a subconscious level.1 This enables scent to influence mood, behavior, and memory, even without the user being fully aware of the process.1 This unique neuroanatomical feature provides digital scent technology with the opportunity to exert subtle but powerful effects in applications like marketing 1, therapy 1, and training.1 This is a distinct advantage over visual or auditory stimuli, which are typically processed more consciously.1 This effect is called "subconscious influence".1 However, this capability raises significant ethical concerns regarding manipulation and informed consent.1 Users could be influenced without their knowledge, necessitating caution in design principles to ensure transparency and respect for user autonomy.1

5.1.2. Cognitive and Psychological Impacts of Digital Scent

Digital scent technology can significantly enhance spatial presence and realism in VR/AR environments.1 Unpleasant odors, in particular, can have a stronger impact on presence.1 Integrating scent into games allows for odor-based game mechanics, such as virtual wine tasting games.1 However, challenges include cognitive load and potential distraction from excessive sensory information.1 Pumping too many different scents into a room for extended periods can create "strange odor mixtures" that confuse the nose.1 Scent levels can have an immediate impact on mood.1 Digital aromatherapy devices can leverage this capability by sensing user tension and releasing soothing fragrances.1 Research shows that scents are closely linked to long-term memory; people can remember scents 100 times better than sights, sounds, or touches.1 This makes scent an exceptionally powerful medium for influencing consumer psychology.1

Digital scent enhances immersion and realism.1 However, excessive or mixed odors can cause "cognitive load" and "confusion".1 This is because adding scent can deepen the experience, but the human olfactory system has limitations, especially in rapid transitions between complex mixtures.1 Overstimulation can create a negative user experience, counteracting the benefits of immersion.1 This means that effective digital scent design requires a nuanced understanding of human cognitive processing and sensory integration.1 It's not just about adding more scent, but about adding the right scent at the right time and ensuring rapid, clean transitions.1 This requires developers to balance the desire for rich sensory input with the risk of overwhelming the user, perhaps through adaptive systems that monitor user state and adjust scent complexity/intensity accordingly.1 This challenge is called the "cognitive overload" trade-off, highlighting the importance of user experience (UX) research in this domain.1

5.1.3. Individual Differences in Olfactory Perception and Personalized Experiences

Human olfactory perception varies widely among individuals, influenced by experience and genetic differences in the olfactory receptor (OR) gene repertoire.1 This phenotypic variability includes individuals exhibiting hyposmia (reduced sensitivity), hyperosmia (increased sensitivity), or anosmia ("odor blindness") to specific odors.1 Genetic variation in a single OR can affect the perception of its known odorant ligands, as seen with musks.1 For example, individuals homozygous for a more sensitive allele of OR5AN1 have shown lower detection thresholds for muscone and perceived macrocyclic musks as more intense.1

"Olfactory perceptual fingerprints" (OPF) define an individual's olfactory perception using perceptual descriptor ratings for a specific set of odors.1 OPFs have been shown to differentiate patients with COVID-related olfactory dysfunction (OD) from healthy controls with 86% accuracy and are odorant-neutral, though influenced by diagnosis and age.1 Each individual has a unique,

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

distinct olfactory fingerprint that remains consistent over time.1 AI is transforming the fragrance industry by enabling "hyper-personalization".1 AI tools can analyze user preferences (favorite ingredients, fragrance families) and suggest personalized perfumes.1 The Israeli company iRomaScents has developed an AI-based digital scent generator that provides personalized scent selection.1

Human olfactory perception is highly individual, influenced by genetic factors (anosmia, hyperosmia) and experience, leading to unique "olfactory fingerprints".1 A single, standardized scent delivery will not provide an optimal experience for all users.1 To achieve true immersion and satisfaction, digital scent systems must adapt to individual perceptual differences.1 This means that the future of digital scent technology relies on personalized olfactory experiences.1 This requires systems that can: (1) diagnose individual olfactory capabilities (e.g., using e-noses for OPF assessment) 1, (2) learn user preferences and physiological responses 1, and (3) dynamically adjust scent composition, intensity, and delivery based on these personalized profiles.1 This shifts the focus from delivering a "correct" scent to delivering a "correctly perceived" scent, opening new avenues for adaptive user interfaces and AI-driven personalization.1 This concept is called "personalized olfactory identity".1

5.2. Potential Applications Across Industries

5.2.1. Immersive Experiences: VR, AR, Gaming, and Cinema

Digital scent technology can make VR/AR environments more immersive and realistic, for example, the smell of gunpowder on a battlefield or oil/rubber in a racing game.1 Scent significantly enhances spatial presence and realism in VR environments.1 Unpleasant odors can have a greater impact on presence.1 Computer-controlled scent machines in gaming allow for odor-based game mechanics (e.g., virtual wine tasting games), where players earn points by identifying scents.1 Researchers at Stockholm and Malmö Universities have developed an open-source scent machine for a VR wine cellar game.1

In cinema and entertainment, scent can enhance audience experience and make films more memorable.1 Historical attempts like Smell-O-Vision and AromaRama faced technical issues but demonstrated early vision.1 SensoryCo 4D provides scent systems for 4D theaters, syncing scents with films and offering hundreds of fragrances.1 Companies like OVR Technology create scent attachments for VR headsets, delivering precise amounts of scent based on user interaction.1 ScentRealm has reproduced over 3,000 scents for film theaters and exhibitions, using wearable devices that emit scents within centimeters of the user.1

While visuals and audio provide a foundation, the addition of scent, due to its direct connection to memory and emotion 1, creates a "sensory synergy".1 This means the combined effect is greater than the sum of its parts, creating a deeper and more believable "presence" in virtual environments.1 The brain integrates these multi-sensory signals to form a more coherent and compelling reality.1 The success of digital scent will not depend solely on being a standalone feature but on its seamless and intelligent integration with existing visual and audio content.1 This requires sophisticated content creation pipelines that can choreograph multi-sensory experiences, potentially leading to new forms of narrative and interactive media where scent plays a crucial role in emotional resonance and cognitive engagement.1 This also indicates a shift in content creation from purely audio-visual to multi-sensory design.1

5.2.2. Commercial and Marketing Applications

Digital scent technology can influence consumer behavior, increasing first-time purchases or repeat business.1 Scent marketing increases customer satisfaction and retail sales.1 Scented environments can boost sales by 30%, and 75% of customers report stronger memories of pleasantly scented spaces.1 Digital scent marketing integrates scent

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 4 of 34 | *DOI:* 10.5281/zenodo.15576970

into online/hybrid experiences through smart diffusers, leveraging scent's ability to evoke memories/emotions.1 AI enables personalization based on user profiles, demographics, or emotional states.1 Scentography enables scented mail, "Notice 'n Shop" stands, and scented DVDs.1 Simple scents (e.g., citrus, pine) are more powerful motivators for spending than complex mixtures, as they require less mental processing, freeing the brain to form stronger associations with these fresh scents.1 One study found that a simple orange scent led to 20% more spending.1 Companies like ScentAir Technologies LLC and Aromax are leading players in scent marketing and diffusion systems.1

The direct pathway of olfaction to the limbic system, bypassing the thalamus, allows scent to operate at a subconscious level.1 This enables scent to influence mood, behavior, and memory, even without the user being fully aware of the process.1 This unique neuroanatomical feature provides digital scent technology with the opportunity to exert subtle but powerful effects in marketing.1 This is a distinct advantage over visual or auditory stimuli, which are typically processed more consciously.1 This capability is called "subconscious influence".1 However, this capability raises significant ethical concerns regarding manipulation and informed consent.1 Brands must ensure transparency and obtain informed consent for the use of scent in advertising, avoiding exploitation of vulnerabilities or creation of compulsive behaviors.1 The "invisible influence" of scent necessitates strong ethical guidelines and potential regulation to prevent misuse and ensure responsible application in commercial contexts.1 This is a critical area where technological capability outpaces ethical frameworks.1

5.2.3. Education and Training

Scent technology can be used for training simulations, such as for firefighters (smoke detection), perfumers (mixture identification), or medical professionals (disease diagnosis by smell).1 Scent training games can help individuals regain their sense of smell (e.g., post-COVID-19 anosmia), making therapy less tedious.1 A VR-based scent-training system has been developed to combat age-related cognitive decline, incorporating olfactory stimuli into virtual environments to activate memory pathways.1 Scent can aid children's learning and development by linking memory and emotion.1 Scent-enhanced books and exhibits can create deeper connections with stories.1 E-noses can be integrated into science labs for learning about different chemicals.1

The direct, primal connection of olfaction to memory and emotion 1 makes it a powerful tool for creating vivid, memorable learning experiences.1 Unlike other senses, scent can bypass conscious filters, leading to deeper encoding and retrieval of information.1 Digital scent technology can revolutionize educational and therapeutic approaches by providing highly immersive, emotionally resonant, and personalized learning environments.1 It moves beyond traditional teaching methods towards "experiential learning," where sensory engagement improves retention and understanding.1 For cognitive rehabilitation, it offers a novel, engaging approach to stimulate neural plasticity and improve outcomes, especially for conditions affecting memory and olfaction.1 This opens up a significant market for specialized educational and healthcare applications.1 This effect is called "experiential learning and cognitive rehabilitation".1

5.2.4. Medical and Healthcare Applications

Digital scent technology has applications in early disease diagnosis (e.g., VOCs in breath for lung cancer, diabetes, infections).1 E-noses are important in food product quality control (spoilage, authenticity) and environmental monitoring (air quality, pollution, hazardous gas detection).1 It can aid in infection control and monitor elderly care facilities.1 Therapeutic uses include anxiety/depression treatment and memory therapy for Alzheimer's patients.1 AI can adjust scents based on physiological data (heart rate, stress).1

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Ainos' AI Nose platform uses MEMS gas sensors and AI to digitize odors into "Smell IDs" for fecal odor detection in long-term care, achieving high accuracy for non-contact hygiene monitoring.1 It aims for automated hygiene alerts and early detection of incontinence.1 Olfactory dysfunction is associated with neurodegenerative diseases, diabetes, and mental illness.1 Digital olfactory function tests (e.g., Digitalscent) are being developed to mimic conventional psychophysical tests for OD diagnosis and management, which is particularly important for examiner-independent testing during pandemics.1

Many diseases produce distinct "odor signatures" or volatile organic compounds (VOCs) as metabolic byproducts.1 Traditional diagnostic methods often rely on invasive or expensive procedures.1 Digital olfaction provides a non-invasive, real-time, and potentially early detection method by "sniffing" these invisible biomarkers.1 This represents a revolutionary change in medical diagnosis, enabling proactive health monitoring and early intervention, potentially reducing healthcare costs and improving patient outcomes.1 The integration of AI with highly sensitive sensors 1 enables the detection of subtle odor patterns invisible to the human nose, transforming a subjective biological phenomenon into objective, machine-readable data.1 This can lead to "olfactory telehealth" and the future of continuous, non-invasive health assessment.1 This effect is called the "invisible biomarker revolution".1

component of intelligent, responsive environments.1

5.3. Market Analysis and Growth Projections

The digital scent technology market was valued at USD 1.09 billion in 2023 and is projected to reach

Market Drivers:

- Growing demand for enhanced user experiences in immersive environments like VR, AR, and entertainment.[1]
- Advancements in virtual reality and biosensors.[1]
- Emergence of sophisticated technologies such as electronic noses, scent diffusion systems, and olfactory sensors.[1]
- Increasing applications across various sectors:

5.2.5. Environmental Monitoring and Other Emerging Fields

Digital scent technology is applied in food quality control (spoilage, authenticity, freshness).1 It enables environmental monitoring (air quality, pollution, hazardous gas detection, industrial emissions).1 E-noses can track fluctuations and trends in emission rates, providing real-time assessment for proactive odor management.1 Other applications include product design and branding 1, smart home systems (smoke and carbon monoxide detection, air quality changes) 1, and even influencing driver behavior by emitting scents to improve alertness.1

As computing capabilities become embedded in everyday objects and environments (ubiquitous computing) 1, the ability to sense and respond to chemical signals (odors) becomes a natural extension.1 E-noses and scent synthesizers, when miniaturized and networked, can provide real-time, context-aware information about environmental conditions, product quality, and even human states.1 This points towards a future of "ubiquitous olfactory computing" 1, where odor data becomes an integral part of smart cities, smart homes, and industrial IoT.1 It's not just about adding scent to digital media, but integrating the "sense of smell" into the ambient intelligence around us, enabling automatic responses to safety threats (gas leaks, fires), environmental changes (pollution), or even personal well-being (stress detection).1 This vision transforms digital scent from a niche accessory into a fundamental

USD 2.56 billion by 2032, growing at a compound annual growth rate (CAGR) of 9.93% from 2024 to 2032.1 Another report forecasts growth from USD 1.33 billion in 2025 to USD 3.23 billion by 2034, with a CAGR of 10.30%.1

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

food and beverage (quality control, spoilage detection), entertainment (gaming, cinema), healthcare (disease diagnosis, therapy), marketing (consumer behavior, brand loyalty), and environmental monitoring (air quality, pollution).[1]

- Increasing investment in digital olfaction research.[1]
- AI-generated scent technology enabling personalization.[1]

Market Segmentation:

- **By Hardware:** E-noses dominated the market with a 55% revenue share in 2023 [1] (61% in 2024 [1]), due to widespread use in food and beverage, healthcare, and security sectors.[1] Scent synthesizers are projected to be the fastest-growing segment between 2024 and 2032, driven by increasing use in entertainment, VR, gaming, and therapeutic sectors.[1]
- **By Application:** Medical diagnostic products held the largest share in 2024 [1], while smartphones are expected to grow at the fastest rate.[1] Other applications include smelling screens, music and video games, explosive detectors, and quality control products.[1]
- **By End-Use:** The medical sector dominated with a 34% revenue share in 2023 [1], and environmental monitoring is projected to be the fastest-growing segment.[1] Other end-uses include food and beverage, military and defense, marketing, and entertainment.[1]

Regional Analysis: North America held the largest market share in 2024 (39% 1; 45% 1), due to being a hub for technological advancements and significant investments.1 Asia Pacific is expected to grow with the fastest CAGR (12.5% between 2025-2034) 1, driven by adoption in China and Japan.1 Europe holds 30%.1

Limitations/Challenges: High operating costs and stringent regulatory compliance (especially in healthcare and food safety) affect market entry.1 High costs of R&D and specialized materials and components limit adoption by small and medium-sized enterprises.1 Lack of awareness and limited adoption among consumers and businesses also hinder growth.1 Potential health impacts of hazardous chemicals used in scent synthesizers and public concerns also impede widespread adoption.1

The digital scent technology market is growing rapidly 1, but faces limitations such as "limited adoption and lack of awareness" and "high costs".1 Due to high costs and novelty, initial adoption is primarily driven by specific, high-value applications or segments where the benefit-cost ratio is favorable, such as luxury brands 1, specialized medical diagnostics 1, or large-scale entertainment.1 This creates a market segmentation where the technology is currently mostly accessible to high-end users or specific industries.1 For widespread market penetration, significant reductions in manufacturing costs and increased consumer awareness are crucial.1 This means that while initial growth is strong in specific areas, the path to ubiquitous adoption will demand a strategic focus on miniaturization, mass production, and public education to overcome the "early adopter paradox" and penetrate more price-sensitive consumer markets.1 This also suggests that the market will likely evolve from B2B to B2C as costs decrease.1

Table 5.3.1: Digital Scent Technology Market Segmentation and Growth Drivers (2024-2034)

Category	Sub-Category	Market Share (2024)	Growth Rate (CAGR, 2025-	Key Drivers

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

			2034)	
Market Size & Forecast	Total Market Value (2024)	$1.21 Billion	10.30%	Enhanced user experience, AI advancements, biosensors
	Total Market Value (2034)	$3.23 Billion		
By Hardware	E-Noses	61%	High (Stable)	Widespread use in food & beverage, healthcare, security sectors [1]
	Scent Synthesizers	N/A	Fastest Growing	Increased use in entertainment, VR, gaming, therapeutic sectors [1]
	Other	N/A	N/A	
By Application	Medical Diagnostic Products	Largest Share	High	Non-invasive disease diagnosis, rise in chronic diseases [1]
	Smartphones	N/A	Fastest Growing	Rapid R&D in mobile-based olfactory sensors [1]
	Smelling Screens	N/A	N/A	Introduction of immersive olfactory dimension [1]
	Music & Video Games	N/A	N/A	Increased emotional

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

				connection, synchronized scent [1]
	Explosive Detectors	N/A	N/A	Emergence of nanosensors [1]
	Quality Control Products	N/A	N/A	Early spoilage detection, increased accuracy [1]
By End-Use	Medical	Largest Share	High	Non-invasive disease diagnosis, early cancer detection [1]
	Environmental Monitoring	N/A	Fastest Growing	Increased air quality standards, AI/IoT integration [1]
	Food & Beverage	N/A	N/A	Quality control, product development, fermentation optimization [1]
	Military & Defense	N/A	N/A	Increased use of nanotechnology-based e-noses [1]
	Marketing	N/A	N/A	Growing demand in cosmetics industry [1]
	Entertainment	N/A	N/A	Penetration of VR technology [1]

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Regional Analysis	North America	39-45%	10.45%	Hub for technological advancements, significant investment [1]
	Asia Pacific	25%	12.5%	Increased adoption in China & Japan (gaming, smart devices) [1]
	Europe	30%	N/A	

5.4. Current Prototypes, Leading Companies, and Patent Landscape

Current Prototypes/Companies:

- **OVR Technology:** Architects of the scent-tech market, providing VR headset attachments (ION) that create nano-particle scents designed to activate in milliseconds, operating wirelessly via Bluetooth.1 Their software plugins are compatible with any VR content built in Unity or Unreal.1 OVR ION features replaceable scent cartridges that can hold up to 9 scents and be selected from 250 options.1 It uses piezoelectric atomization to deliver scents rapidly, releasing a fine mist quickly.1
- **Ainos:** Pioneers in AI-driven scent digitization, their AI Nose platform uses MEMS gas sensor arrays and proprietary AI models to digitize odors into "Smell IDs".1 It achieves 90% accuracy in healthcare applications and 80% in semiconductor environments.1 Ainos has achieved 85% accuracy in fecal odor detection for non-contact hygiene monitoring in long-term care.1
- **Aryballe:** A pioneer in digital olfaction, combining biomimicry and advanced optical instrumentation.1 Their NeOse device captures "fingerprints" of complex scent profiles and uses AI for insights.1
- **Osmo:** Digitizing scents using Google Cloud AI and successfully "teleporting" scents.1 Their Principal Odor Map (POM) displays GCMS data as a coordinate in the cloud.1
- **Sony:** Developed the Next-gen Olfactometry System, using their proprietary Odor Control Technology and Tensor Valve™ Technology to create highly sealed cartridges that prevent odor leakage and contamination.1 It can hold up to 40 scents per cartridge and present them quickly (in about 3 seconds).1
- **ScentRealm:** Developed wearable devices that can replicate over 3,000 scents.1 Their X-Scent 4.0 is a wearable scent transmitter that uses nanometer porous materials and microchips to change scents in milliseconds.1
- **DigiScents:** Launched the iSmell device in 1999, which connected to PCs via a serial port and used 128 "primary odors".1 However, it shut down in 2001 due to losses.1
- **TriSenx:** Launched the Scent Dome in 2003, which could recognize scent identification codes.1
- **Stockholm/Malmö University:** Developed a VR wine cellar game where a small scent machine is connected to the VR system's controller and emits scent when the player lifts a glass.1 Their olfactometer uses four

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 2 of 34 | *DOI:* 10.5281/zenodo.15576970

different valves that can deliver mixtures of various scents.1 Code and blueprints are available open-source.1

- **FeelReal:** A multisensory VR mask that adds scent, hot/cold air, water mist, and haptic vibes.1 It uses a cartridge-based system.1
- **Inhalio:** Provides digital dry-air scent technology for spaces like cars and homes.1
- **BIOPAC:** A scent delivery system that can deliver scents on demand and clear for subsequent scents.1
- **SensoryCo4D:** Provides scent systems for 4D theaters, syncing scents with films.1 Their SmX-4D Aroma System can deliver scents instantly using DMX or RS485 signaling.1

Patent Landscape:
Patents exist for switchable digital scent generation and emission, and vapor/liquid delivery methods.1 There are also patents related to microfluidic dispensers for controlled release.1 US10556034B2 patent describes methods, devices, and systems for digitally generating and delivering scents, vapors, or liquids.1 Its core is the ability to deliver these liquids on demand and to change delivery quickly and easily.1 It includes an array of containers holding scent material, an inlet for carrier gas, and an outlet for the gas and scent mixture.1 The United States holds over 60% of digital scent patents.1

5.5. Overall Challenges and Future Directions

5.5.1. Technical and Scientific Barriers

Several technical and scientific barriers exist in the development of digital scent technology:

- **Complexity and Cost:** High-precision systems are expensive and complex.1 The high cost of R&D and the need for specialized materials and components increase production costs.1
- **Dynamics and Rapid Change:** It is difficult to effectively change and remove scents quickly.1 Rapidly emitting a scent and completely clearing the previous one, especially in large environments, is a significant engineering challenge.1
- **Cross-Adaptation:** The human nose can weaken the perception of other odors after becoming accustomed to one, posing problems for complex mixtures or rapid changes.1
- **Individual Differences:** Odor perception varies among individuals and cultures.1 This highlights the need for personalized solutions rather than a "one-size-fits-all" approach.1
- **Stability and Maintenance:** The expiration of fragrance components and system cleaning are challenges.1 The inherent volatility of fragrance molecules causes their rapid decay.1
- **Lack of Standardization:** There are no universal standards for olfactory analysis, encoding, and reproduction.1 This creates serious challenges in interoperability, data consistency, and cross-platform compatibility.1
- **System Integration:** Seamless integration of hardware and software, especially for wearable and miniaturized devices, is an ongoing challenge.1

5.5.2. Ethical Implications: Privacy, Manipulation, and Accessibility

Several important ethical considerations arise with the development of digital scent technology:

- **Privacy Concerns:** Olfactory sensors can collect user data, such as biometric odor data (e.g., VOCs used in disease detection).1 There are privacy concerns about how this data is collected, stored, and used, especially when it occurs without the user's knowledge.1
- **Potential for Manipulation:** The ability of scent to have a subconscious effect 1 creates the potential to manipulate users in marketing or other contexts.1 Brands must use this technology responsibly to enhance experiences, not exploit.1
- **Accessibility:** Ensuring accessibility for users with varying olfactory capabilities (e.g., individuals with anosmia or hyposmia) is necessary.1 A "one-size-fits-all" approach might be imperceptible to some users.1
- **Sensory Overload:** The presence of multiple

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

odors in crowded spaces can cause discomfort or health issues for sensitive individuals.1

- **Cultural Sensitivity:** Odors can have different meanings in various cultures; what is pleasant or neutral in one region might be offensive in another.1
- **Addiction:** Like visual and auditory stimuli, scent can be addictive.1 Ethical advertising should avoid creating odor-based experiences that lead to compulsive behavior.1

5.5.3. Legal and Intellectual Property Challenges

The lack of a universally accepted digital format for scent creates significant challenges for intellectual property protection.1 It is difficult to register scent as a trademark because it is generally not "functional" and cannot be graphically represented.1 This legal ambiguity has created opportunities for the rise of "dupe" fragrances, posing significant challenges for luxury brands.1

5.5.4. Standardization and Regulatory Frameworks

Standardization and regulatory frameworks are essential for the widespread commercial adoption of digital scent technology.1 Currently, interoperability is limited due to the proprietary nature of various sensor designs and algorithms.1 Defining standard protocols and methods for odor detection, classification, and data processing is crucial for interoperability, building user trust, and accelerating market entry.1 Industry collaboration and regulatory frameworks are important for overcoming these barriers.1 Strict regulatory compliance in fields like healthcare and food safety also affects market entry and product approval.1

CONCLUSION

Digital scent technology holds immense potential to redefine the future of sensory experiences.1 In this era of digital dominance in sight and sound, the integration of olfaction adds a new dimension of immersion, making traditional digital interactions more realistic and emotionally rich.1 This research has explored a wide range of areas, from the molecular basis of scent to its biological perception and digital synthesis.1 It has shown that the chemical composition of odors and the complexity of the human olfactory system create unique challenges for digital replication.1 However, advanced analytical tools like electronic noses (eNoses), Gas Chromatography-Mass Spectrometry (GCMS), and the Principal Odor Map (POM) have paved the way for transforming scents into "digital fingerprints".1 These fingerprints emphasize perceptual characteristics rather than complete replication of chemical molecules, making data transfer and synthesis more efficient.1

In artificial scent synthesis, cartridge-based modular systems and advanced delivery techniques such as microfluidics, micro-encapsulation, high-pressure emission, and ultrasonic atomization play crucial roles.1 For dynamic scent changes and environmental control, both rapid scent emission (e.g., targeted airflow, vortex rings, micro-droplets) and efficient removal (e.g., air purifiers, activated carbon filters, industrial odor control systems) are essential.1 The integration of these "push-pull" systems ensures seamless olfactory transitions consistent with digital content.1 Most importantly, artificial intelligence (AI) is at the core of this technology's advancement.1 AI not only optimizes scent prediction and blending but also enables "generative olfaction," where new and innovative fragrances can be created that did not previously exist.1 AI's ability to understand the complex relationship between olfactory perception and molecular structure is essential for this.1

6.2. Future Outlook and Recommendations for Research and Development

The potential impact of digital scent technology is vast, capable of revolutionizing various industries including virtual reality, gaming, cinema, advertising, education, and medicine (e.g., therapy for patients with olfactory loss and early disease diagnosis).1 The rapid growth of this market and its

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

increasing applications across diverse fields indicate a future of "ubiquitous olfactory computing," where scent will become an integral part of digital interactions.1

However, the development of this technology also comes with important considerations.1 Ensuring human-centric precision for personalized olfactory experiences, guaranteeing accessibility for users with varying olfactory capabilities, and addressing legal and ethical challenges such as intellectual property protection are crucial.1 If developed responsibly and ethically, this technology can elevate human digital experiences to unprecedented levels, providing a complete sensory immersion that goes beyond just sight and sound.1

Future research and development should focus on the following areas:

- **Advanced Sensors and Synthesizers:** Developing more sensitive, miniaturized, and cost-effective e-noses and scent synthesizers, especially for wearable devices.
- **Deepening AI and Machine Learning:** Creating advanced AI models to better understand the complex relationship between olfactory perception and molecular structure. Further enhancing the ability to create new scents using generative AI.
- **Dynamic Environmental Control:** Improving the efficiency of "push-pull" systems for rapid and precise scent emission and removal, especially in large and dynamic environments.
- **Personalization and Adaptation:** Developing systems to adapt scent delivery based on user's personal olfactory profiles and real-time physiological data.
- **Standardization and Interoperability:** Increasing international collaboration to create universal standards and protocols for digital scent data and devices across the industry.
- **Ethical and Legal Frameworks:** Developing robust guidelines and regulatory frameworks to address ethical concerns such as privacy, manipulation, and accessibility. Exploring legal solutions for intellectual property protection of scents.
- **Long-term Impact Research:** Conducting further research to understand the long-term cognitive, psychological, and social impacts of digital scent technology.

Continuous investment and interdisciplinary collaboration in these areas will enable digital scent technology to reach its full potential and profoundly transform human digital experiences.

AUTHOR INFORMATION

Tiko completed his SSC from Radhanagar Majumder Academy School and College, Pabna. A respected institution in Pabna. He is currently studying at a prestigious government college in Dhaka. Deeply obsessed with mathematics, philosophy, and politics, Ehsan combines analytical thought with creative expression. He is the founder of Gonitika, a weekly mathematics magazine, and an active contributor to Ganitik Kusti (Mathematical Wrestling), a national-level competition promoting critical thinking and mathematical excellence. Alongside his academic ventures, Ehsan is a passionate writer and literature enthusiast, expressing his thoughts through poetry and storytelling that reflect depth, emotion, and an unwavering sense of purpose.

To contact Tiko,

ORCID: 0009-0004-4566-9063
Facebook: Ahasun Roman
E-mail: ahasunroman@gmail.com
Phone: +8801940596528

REFERENCING

[1] Scent of Mystery. (n.d.). *Wikipedia*. Retrieved from https://en.wikipedia.org/wiki/Scent_of_Mystery

[2] Smell-O-Vision. (n.d.). *Wikiwand*. Retrieved from https://www.wikiwand.com/en/articles/Smell-o-vision

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

[3] Digital scent technology. (n.d.). *Wikipedia*. Retrieved from https://en.wikipedia.org/wiki/Digital_scent_technology

[4] Digital Scent Technology Market Size to Hit USD 3.23 Billion by 2034. (n.d.). *Precedence Research*. Retrieved from https://www.precedenceresearch.com/digital-scent-technology-market

[5] Digital Scent Technology Market to Worth USD 2.56 Billion by 2032 Driven by advancements in virtual reality and biosensors | Research by SNS Insider. (2025, February 24). *GlobeNewswire*. Retrieved from https://www.globenewswire.com/news-release/2025/02/24/3031241/0/en/Digital-Scent-Technology-Market-to-Worth-USD-2-56-Billion-by-2032-Driven-by-advancements-in-virtual-reality-and-biosensors-Research-by-SNS-Insider.html

[6] A Principal Odor Map Unifies Diverse Tasks in Olfactory Perception. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC11898014/

[7] Decoding Smell: The Future of Odor Mapping with AI and Molecular Chemistry. (n.d.). *Berkeley Scientific Journal*. Retrieved from https://bsj.studentorg.berkeley.edu/decoding-smell-the-future-of-odor-mapping-with-ai-and-molecular-chemistry/

[8] Olfactory memory networks: from emotional learning to social behaviors. (n.d.). *Frontiers*. Retrieved from https://www.frontiersin.org/research-topics/1857/olfactory-memory-networks-from-emotional-learning-to-social-behaviors/magazine

[9] Olfactory memory networks: from emotional learning to social behaviors. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC4330889/

[10] Physiology, Olfactory. (n.d.). *NCBI Bookshelf*. Retrieved from https://www.ncbi.nlm.nih.gov/books/NBK542239/

[11] Limbic System: What It Is, Function, Parts & Location. (n.d.). *Cleveland Clinic*. Retrieved from https://my.clevelandclinic.org/health/body/limbic-system

[12] What's That Smell?. (n.d.). *Communications of the ACM*. Retrieved from https://cacm.acm.org/news/whats-that-smell/

[13] The Psychology Behind Scent Experience. (n.d.). *Sense Company*. Retrieved from https://sense-company.com/en-nl/knowledgecentre/psychology-behind-scent-experience

[14] Science of Disney: Smellitizers. (n.d.). *The PhD Princess*. Retrieved from https://phdprincess.com/blog/disney-smells

[15] Why Your Nose Knows What Sells: Inside the Ascent of Scent Marketing. (n.d.). *AEEN*. Retrieved from https://www.aeen.org/why-your-nose-knows-what-sells-inside-the-ascent-of-scent-marketing/

[16] Scent Marketing: How Smell Affects Customer Spending. (n.d.). *BusinessNewsDaily.com*. Retrieved from https://www.businessnewsdaily.com/3469-smells-shoppers-spend-more.html

[17] AI-Powered Olfactory Sensor Technology. (n.d.). *MNPHY*. Retrieved from https://www.mnphy.com/0624-cover-one-chris-campbell

[18] US10556034B2 - Switchable digital scent generation and release .... (n.d.). *Google Patents*. Retrieved from https://patents.google.com/patent/US10556034B2/en

[19] US20100155414A1 - Method for automatic microfluidic fragrance .... (n.d.). *Google Patents*. Retrieved from https://patents.google.com/patent/US20100155414A1/en

[20] Digital Scent Technology Market Size, Share, Growth Drivers 2032. (n.d.). *MarketsandMarkets*. Retrieved from https://www.marketsandmarkets.com/Market-Reports/digital-scent-technology-market-118670062.html

[21] Digital Scent Technology Market Size, Share, Trends, 2032. (n.d.). *Fortune Business Insights*. Retrieved from https://www.fortunebusinessinsights.com/digital-scent-technology-market-111576

[22] 8.3 The Olfactory System - Introduction to Behavioral Neuroscience | OpenStax. (n.d.). *OpenStax*. Retrieved from https://openstax.org/books/introduction-behavioral-neuroscience/pages/8-3-the-olfactory-system

[23] Review of the Potential of Consumer Neuroscience for Aroma Marketing and Its Importance in Various Segments of Services. (n.d.). *MDPI*. Retrieved from https://www.mdpi.com/2076-3417/11/16/7636

[24] The olfactory control application. | Download Scientific Diagram. (n.d.). *ResearchGate*. Retrieved from https://www.researchgate.net/figure/The-olfactory-control-application_fig5_339325658

[25] Research-based Design Principles for the Integration of Olfaction into Young Children's Stories. (n.d.). *IJDesign*. Retrieved from https://www.ijdesign.org/index.php/IJDesign/article/view/5374/1099

[26] Appendix A – Odor Characterization, Assessment and Sampling. (n.d.). *Environmental Protection Agency (EPA)*. Retrieved from https://www3.epa.gov/npdes/pubs/bio-appa.pdf

[27] The importance of the olfactory system in human well-being, through nutrition and social behavior. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC7802608/

[28] Smelling in VR environment possible with new gaming technology. (n.d.). *Stockholm University*. Retrieved from https://www.su.se/english/news/smelling-in-vr-environment-possible-with-new-gaming-technology-1.630811

[29] A virtual reality game integrating smell to fight cognitive decline | ScienceDaily. (2025, April 30). *ScienceDaily*. Retrieved from https://www.sciencedaily.com/releases/2025/04/250430142346.htm

[30] OVR Technology enhances VR-based experiences with the power of scent. (n.d.). *Manage XR*. Retrieved from https://www.managexr.com/customer-stories/ovr

[31] Digital Smell: It Makes Scents. (n.d.). *Ambiq*. Retrieved from https://ambiq.com/blog/digital-smell-it-makes-scents/

[32] Disease Scent Signatures Disclose What the Nose Knows | The Scientist. (n.d.). *The Scientist*. Retrieved from https://www.the-scientist.com/disease-scent-signatures-disclose-what-the-nose-knows-71161

[33] Children's experiences of smells and scents | University of Stavanger. (n.d.). *University of Stavanger*. Retrieved from https://www.uis.no/en/research/childrens-experiences-of-smells-and-scents

[34] How smells can boost children's learning and pleasure | Aeon Essays. (n.d.). *Aeon*. Retrieved from https://aeon.co/essays/how-smells-can-boost-childrens-learning-and-pleasure

[35] Unravelling the Olfactory Sense: From the Gene to Odor Perception. (n.d.). *Oxford Academic*. Retrieved from https://academic.oup.com/chemse/article/41/2/105/2365977

[36] Genetic variation in the human olfactory receptor OR5AN1 associates with the perception of musks. (n.d.). *National Institutes of Health (NIH)*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC9874024/

[37] Digital Scent Technology Market Size, Share & Forecast 2032. (n.d.). *SNS Insider*. Retrieved from https://www.snsinsider.com/reports/digital-scent-technology-market-5681

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

[38] Pioneering Perfumery in the Age of IFRA Compliance. (n.d.). *Alpha Aromatics*. Retrieved from https://www.alphaaromatics.com/blog/ifra-compliance/

[39] The Legal Framework for Smell Trademarks: What You Need to Know. (n.d.). *PatentPC*. Retrieved from https://patentpc.com/blog/the-legal-framework-for-smell-trademarks-what-you-need-to-know

[40] Copy-Paste Perfumes? The Legal Battle Over Fragrance Dupes. (n.d.). *Intepat IP*. Retrieved from https://www.intepat.com/blog/copy-paste-perfumes-the-legal-battle-over-fragrance-dupes/

[41] Scent Sensor Technology: A Game Changer for Personalized Marketing Strategies. (n.d.). *FasterCapital*. Retrieved from http://www.fastercapital.com/content/Scent-Sensor-Technology--Scent-Sensor-Technology--A-Game-Changer-for-Personalized-Marketing-Strategies.html

[42] Odorveillance and the Ethics of Robotic Olfaction. (n.d.). *IEEE Technology and Society*. Retrieved from https://technologyandsociety.org/odorveillance-and-the-ethics-of-robotic-olfaction/

[43] Ethical Considerations in the Use of Subliminal Influence. (n.d.). *Blue Monarch Group*. Retrieved from https://bluemonarchgroup.com/blog/ethical-considerations-in-the-use-of-subliminal-influence/

[44] The Power of Subliminal Messaging: An Unseen Influence. (n.d.). *STIMUL-i*. Retrieved from https://www.stimul-i.com/news/the-power-of-subliminal-messaging-an-unseen-influence/

[45] Development of a Digital Olfactory Function Test: A Preliminary Study. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC10817253/

[46] What is Ubiquitous Computing?. (n.d.). *Arm*. Retrieved from https://www.arm.com/glossary/ubiquitous-computing

[47] Ubiquitous computing. (n.d.). *Wikipedia*. Retrieved from https://en.wikipedia.org/wiki/Ubiquitous_computing

[48] Generative AI masters the art of scent creation. (2025, April 23). *ScienceDaily*. Retrieved from https://www.sciencedaily.com/releases/2025/04/250423112654.htm

[49] Generative AI learns to make perfume. (2025, April 23). *NeuroEdge - ScienceBlog.com*. Retrieved from https://scienceblog.com/neuroedge/2025/04/23/generative-ai-learns-to-make-perfume/

[50] Base Chemicals To Make Perfume | Chemical Bull Pvt. Ltd.. (n.d.). *Chemical Bull Pvt. Ltd.*. Retrieved from https://www.chemicalbull.com/blogs/base-chemicals-to-make-perfume

[51] The 11 Most Important Ingredients Used in Perfumery. (n.d.). *Alpha Aromatics*. Retrieved from https://www.alphaaromatics.com/blog/ingredients-used-in-perfumery/

[52] Microencapsulation as a Route for Obtaining Encapsulated Flavors and Fragrances. (n.d.). *MDPI*. Retrieved from https://www.mdpi.com/2079-9284/10/1/26

[53] Fragrance Microcapsules: Unveiling the Secret to Lasting Scents in Laundry and Beyond. (n.d.). *STPP Group*. Retrieved from https://stppgroup.com/fragrance-microcapsules-unveiling-the-secret-to-lasting-scents-in-laundry-and-beyond/

[54] emotions.market. (n.d.). *Emotions Market*. Retrieved from https://emotions.market/blog/digital-scents-how-technology-is-bringing-smell-to-the-digital-world/#:~:text=Experts%20identify%20the%20key%20chemical,holds%20a%20basic%20scent%20note.

[55] Digital Scents: How Technology is Bringing Smell to the Digital World. (n.d.). *Emotions Market*. Retrieved from https://emotions.market/blog/digital-scents-how-technology-is-bringing-smell-to-the-digital-world/

[56] Engineering Aspects of Olfaction. (n.d.). *NCBI*. Retrieved from https://www.ncbi.nlm.nih.gov/books/NBK298822/

[57] Advances in Food Aroma Analysis: Extraction, Separation, and Quantification Techniques. (n.d.). *MDPI*. Retrieved from https://www.mdpi.com/2304-8158/14/8/1302

[58] Chemical Characterization of Red Wine Polymers and Their Interaction Affinity with Odorants. (n.d.). *MDPI*. Retrieved from https://www.mdpi.com/2304-8158/13/4/526

[59] GC-MS: A Key Tool for Flavor and Fragrance Analysis. (n.d.). *Vials*. Retrieved from https://www.hplcvials.com/knowledge/gc-ms-a-key-tool-for-flavor-and-fragrance-analysis.html

[60] Detection of Counterfeit Perfumes by Using GC-MS Technique and Electronic Nose System Combined with Chemometric Tools. (n.d.). *PubMed Central*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC10052770/

[61] DREAM Olfaction Prediction Challenge - syn2811262 - Wiki - Synapse | Sage Bionetworks. (n.d.). *Synapse*. Retrieved from https://www.synapse.org/Synapse:syn2811262/wiki/

[62] DREAM Olfactory Mixtures Prediction Challenge - syn53470621 - Wiki. (n.d.). *Synapse*. Retrieved from https://www.synapse.org/dreamOlfactoryMixturesPredictionChallenge

[63] Machine Learning in Human Olfactory Research - PMC - PubMed Central. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC6295796/

[64] Using artificial intelligence to smell the roses | NSF. (n.d.). *National Science Foundation*. Retrieved from https://www.nsf.gov/news/using-artificial-intelligence-smell-roses

[65] Deciphering olfactory receptor binding mechanisms: a structural and dynamic perspective on olfactory receptors. (n.d.). *Frontiers*. Retrieved from https://www.frontiersin.org/journals/molecular-biosciences/articles/10.3389/fmolb.2024.1498796/full

[66] Computational Biology of Olfactory Receptors - PMC - PubMed Central. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC3187719/

[67] Electronic nose. (n.d.). *Wikipedia*. Retrieved from https://en.wikipedia.org/wiki/Electronic_nose

[68] Summary of advantages and disadvantages of e-nose sensor types.. (n.d.). *ResearchGate*. Retrieved from https://www.researchgate.net/figure/Summary-of-advantages-and-disadvantages-of-e-nose-sensor-types_tbl2_26630651

[69] Ainos AI Nose Improves Accuracy in Hygiene Monitoring To 85% from 80%. (n.d.). *Stock Titan*. Retrieved from https://www.stocktitan.net/news/AIMD/ainos-ai-nose-improves-accuracy-in-hygiene-monitoring-to-85-from-g5vb29ok40vs.html

[70] Ainos Showcases Breakthrough AI Nose Technology at COMPUTEX 2025 with Japan's Robotics Partner. (n.d.). *Stock Titan*. Retrieved from https://www.stocktitan.net/news/AIMD/ainos-showcases-breakthrough-ai-nose-technology-at-computex-2025-u4nv4rj0bboi.html

[71] Olfactory perceptual fingerprints of people with olfactory dysfunction and healthy controls. (n.d.). *PubMed*. Retrieved from https://pubmed.ncbi.nlm.nih.gov/39139801/

[72] NeOse Advance | Aryballe. (n.d.). *Aryballe*. Retrieved from http://aryballe.com/wp-content/uploads/2021/07/NeOse_Advance_DS_072121.pdf

[73] NeOseTM Pro V3 | Aryballe. (n.d.). *Aryballe*. Retrieved from https://aryballe.com/wp-

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

content/uploads/2020/09/NeOse_Pro_v3_DS_090420.pdf

[74] Fingerprinting Our Sense of Smell - Life Sciences | Weizmann Wonder Wander - News, Features and Discoveries. (n.d.). *Weizmann Institute of Science*. Retrieved from https://wis-wander.weizmann.ac.il/life-sciences/fingerprinting-our-sense-smell

[75] SCENTsory Entertainment: The Engineering Behind Smell-o-vision. (n.d.). *illumin - USC*. Retrieved from https://illumin.usc.edu/scentsory-entertainment-the-engineering-behind-smell-o-vision/

[76] Understanding the Mechanism of Piezoelectric Atomizers | Applications & Benefits. (n.d.). *Piezo Direct*. Retrieved from https://piezodirect.com/understanding-the-mechanism-of-piezoelectric-atomizers/

[77] Ultrasonic Atomizer Fundamentals: Understanding Piezoelectricity & Vibrational Analysis. (n.d.). *Piezo Direct*. Retrieved from https://piezodirect.com/ultrasonic-atomizer-fundamentals/

[78] Basic Design Tips - Stanford Microfluidics Foundry. (n.d.). *Stanford Microfluidics Foundry*. Retrieved from https://www.stanfordmicrofluidics.com/design-basics

[79] GPL 510 High-Pressure Odorization System - Linc Energy Systems. (n.d.). *Linc Energy Systems*. Retrieved from https://www.lincenergysystems.com/natural-gas-odorization/odorizer/gpl-510-high-pressure-system/

[80] Pump Injection Odorizer System - PRECO INC. (n.d.). *PRECO INC*. Retrieved from https://precoomaha.com/natural-gas-products/pump-injection-odorizer-system/

[81] Wholesale atomization scent diffuser Aromatherapy Essential Oil Diffusers - Alibaba.com. (n.d.). *Alibaba*. Retrieved from https://www.alibaba.com/showroom/atomization-scent-diffuser.html

[82] Diffusers Decoded: Ultrasonic vs Atomizing - The Essential Oil Company. (n.d.). *The Essential Oil Company*. Retrieved from https://www.essentialoil.com/blogs/news/diffusers-decoded-ultrasonic-vs-atomizing

[83] Do Air Purifiers Help with Smell?. (n.d.). *Bryant*. Retrieved from https://www.bryant.com/en/us/products/air-purifiers/do-air-purifiers-help-with-smell/

[84] Do air purifiers remove odors?. (n.d.). *Vewior*. Retrieved from https://vewiorlife.com/blogs/news/do-air-purifiers-remove-odors

[85] What odors and/or substances can be adsorbed by Activated Carbon?. (n.d.). *Hakko USA*. Retrieved from https://kb.hakkousa.com/Knowledgebase/10644/What-odors-andor-substances-can-be-adsorbed-by-Activated-Carbon

[86] Activated Carbon Odor Control Systems | PDH Academy. (n.d.). *PDH Academy*. Retrieved from https://pdhacademy.com/wp-content/uploads/2023/09/437-Activated-Carbon-Odor-Control-Systems.pdf

[87] Chemical Scrubber Systems - MACH Engineering. (n.d.). *MACH Engineering*. Retrieved from https://www.machengineering.com/wet-scrubber-systems/chemical-scrubber/

[88] Industrial Odor Scrubbers: Design, Applications and Media - Torch-Air. (n.d.). *Torch-Air*. Retrieved from https://torch-air.com/blog/industrial-odor-scrubber

[89] Technology - Aerox bv. (n.d.). *Aerox*. Retrieved from https://aerox.nl/en/technology/

[90] How Cold Plasma Technology improves Industrial Processes & Odor Control. (n.d.). *JOA Air Solutions*. Retrieved from https://joaairsolutions.com/blog/how-cold-plasma-improves-odor-control/

[91] Biofilters - Engineered Compost Systems. (n.d.). *Engineered Compost Systems*. Retrieved from https://compostsystems.com/systems/biofilters/

[92] Biofilters - Odor - Webster Environmental Associates. (n.d.). *Webster Environmental Associates*. Retrieved from [https://www.odor.net/technology/gas-phase-treatment/biofilters/](https://www.odor.net/technology/gas-phase

[93] Smoke X™ Rapid Odor Eliminator | Air Fresheners | Armor All US. (n.d.). *Armor All US*. Retrieved from https://www.armorall.com/product/smoke-x-rapid-odor-eliminator/?bvstate=pg:4/ct:r

[94] Current Status and Outlook of Odor Removal Technologies in Wastewater Treatment Plant. (n.d.). *ResearchGate*. Retrieved from https://www.researchgate.net/publication/325891438_Current_Status_and_Outlook_of_Odor_Removal_Technologies_in_Wastewater_Treatment_Plant

[95] Comparing Odor Removal Technology Among Plasma, UV and Activated Carbo. (n.d.). *Kleanland*. Retrieved from https://www.kleanland.com/news/compare-odor-removal-smell-eliminating-devices-uv-carbon-plasma/

[96] The Science of Vortex Rings. (n.d.). *YouTube*. Retrieved from https://www.youtube.com/watch?v=yjgACB7urOo&pp=0gcJCdgAo7VqN5tD

[97] Vortex Ring Generator - George Lucey and Louis Jasper - US Army Research Laboratory DE Effects and Mitigation Branch 2800 Powder Mill Road Adelphi, MD 20783-1197. (n.d.). Retrieved from http://schizophonia.com/archives/Infrasound/VortexRingGenerator.pdf

[98] The Smell Engine: A System for Artificial Odor Synthesis in Virtual Environments. (n.d.). *Arizona State University*. Retrieved from https://meteor.ame.asu.edu/publications/SmellEngineIEEEVRR22.pdf

[99] ScentVox (White, Bluetooth, dual 270ml w/ liquid level reporting). (n.d.). *ScentBridge*. Retrieved from https://scentbridge.com/products/scentvox-white-bluetooth-dual-270ml-w-liquid-level-reporting

[100] Stop odour and dust escape with AEC Air Curtains. (n.d.). *AEC Air Systems*. Retrieved from https://www.aecsystems.eu/products/aircurtain/

[101] The 6 Benefits of Air Curtains for Restaurants. (n.d.). *Mars Air Systems*. Retrieved from https://www.marsair.com/news/the-6-benefits-of-air-curtains-for-restaurants

[102] Scent Delivery Systems. (n.d.). *ScentBridge*. Retrieved from https://scentbridge.com/pages/scent-delivery-systems

[103] ScentCast HVAC Scent System. (n.d.). *ScentBridge*. Retrieved from https://scentbridge.com/products/scentcast-hvac-scent-system

[104] Dual-Branch Graph Neural Network for Predicting Molecular Odors and Discovering the Relationship Between Functional Groups and Odors. (n.d.). *PubMed*. Retrieved from https://pubmed.ncbi.nlm.nih.gov/40008798/

[105] Multisensory Integration as per Technological Advances: A Review. (n.d.). *PMC*. Retrieved from https://pmc.ncbi.nlm.nih.gov/articles/PMC8257956/

[106] Why Smells Are So Difficult To Simulate For Virtual Reality. (n.d.). *UploadVR*. Retrieved from https://www.uploadvr.com/why-smell-is-so-difficult-to-simulate-in-vr/

[107] AI and Fragrance: How Technology is Shaping the Future of Perfume Creation. (n.d.). *Ramsons Perfumes*. Retrieved from https://ramsonsperfumes.com/blogs/news/ai-and-fragrance-how-technology-is-shaping-the-future-of-perfume-creation

[108] AI-Driven Personalized Recommendations to Enhance Perfume Brand. (n.d.). *CartCoders*. Retrieved from https://cartcoders.com/blog/ecommerce/ai-personalized-recommendations-for-perfume-brand/

[109] The Science - OVR Technology. (n.d.). *OVR Technology*. Retrieved from https://ovrtechnology.com/the-science/

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

[110] Real-Time Scent Prediction and Release for Video Games. (n.d.). *Research Collection*. Retrieved from https://www.research-collection.ethz.ch/bitstream/handle/20.500.11850/700115/Real-TimeScentPredictionandReleaseforVideoGames.pdf?sequence=8&isAllowed=y

[111] ScentRealm: Digitally reproducing scents on demand | CompassList. (n.d.). *CompassList*. Retrieved from https://www.compasslist.com/insights/scentrealm-digitally-reproducing-scents-on-demand

[112] Development of a Digital Olfactory Function Test: A Preliminary Study. (n.d.). *MDPI*. Retrieved from https://www.mdpi.com/2075-1729/14/1/75

[113] Digital Olfaction: Can We Sell "The Sweet Smell of Success" Yet?. (n.d.). *LTIMindtree*. Retrieved from https://www.ltimindtree.com/wp-content/uploads/2024/02/Digital-Olfaction-The-Sweet-Smell-of-Success-POV-MFG.pdf?pdf=download

[114] DIGITAL SMELL TECHNOLOGY. (n.d.). *IJETCSE*. Retrieved from https://ijetcse.com/wp-content/uploads/95_DIGITAL-SMELL-TECHNOLOGY.pdf

[115] IFF Introduces Science of Performance: A New Approach to Elevating Scent Design. (n.d.). *IFF*. Retrieved from https://www.iff.com/media/news/iff-introduces-science-of-performance-a-new-approach-to-elevating-scent-design/

[116] An Overview of the Progress made in Research on Odor Removal in Water Treatment Plants. (n.d.). *MDPI*. Retrieved from https://www.mdpi.com/2073-4441/16/2/280

[117] Smelling in VR | DISRUPT | Herberger Institute for Design and the Arts. (n.d.). *Arizona State University*. Retrieved from https://disrupt.asu.edu/article/smelling-in-vr/

Web pages that are used in this article

1 url: https://en.wikipedia.org/wiki/Scent_of_Mystery

2 url: https://www.wikiwand.com/en/articles/Smell-o-vision

3 url: https://ijetcse.com/wp-content/uploads/95_DIGITAL-SMELL-TECHNOLOGY.pdf

4 url: https://en.wikipedia.org/wiki/Digital_scent_technology

5 url: https://www.frontiersin.org/research-topics/1857/olfactory-memory-networks-from-emotional-learning-to-social-behaviors/magazine

6 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC4330889/

7 url: https://www.ncbi.nlm.nih.gov/books/NBK542239/

8 url: https://my.clevelandclinic.org/health/body/limbic-system

9 url: https://www.precedenceresearch.com/digital-scent-technology-market

10 url: https://www.globenewswire.com/news-release/2025/02/24/3031241/0/en/Digital-Scent-Technology-Market-to-Worth-USD-2-56-Billion-by-2032-Driven-by-advancements-in-virtual-reality-and-biosensors-Research-by-SNS-Insider.html

11 url: https://www.arm.com/glossary/ubiquitous-computing

12 url: https://en.wikipedia.org/wiki/Ubiquitous_computing

13 url: https://emotions.market/blog/digital-scents-how-technology-is-bringing-smell-to-the-digital-world/#:~:text=Experts%20identify%20the%20key%20chemical,holds%20a%20basic%20scent%20note.

14 url: https://emotions.market/blog/digital-scents-how-technology-is-bringing-smell-to-the-digital-world/

15 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC6295796/

16 url: https://www.nsf.gov/news/using-artificial-intelligence-smell-roses

17 url: https://cacm.acm.org/news/whats-that-smell/

18 url: https://sense-company.com/en-nl/knowledgecentre/psychology-behind-scent-experience

19 url: https://www.researchgate.net/figure/The-olfactory-control-application_fig5_339325658

20 url: https://www.ijdesign.org/index.php/IJDesign/article/view/5374/1099

21 url: https://www3.epa.gov/npdes/pubs/bio-appa.pdf

22 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC7802608/

23 url: https://openstax.org/books/introduction-behavioral-neuroscience/pages/8-3-the-olfactory-system

24 url: https://www.mdpi.com/2076-3417/11/16/7636

25 url: https://illumin.usc.edu/scentsory-entertainment-the-engineering-behind-smell-o-vision/

26 url: https://www.ncbi.nlm.nih.gov/books/NBK298822/

27 url: https://www.mdpi.com/2304-8158/14/8/1302

28 url: https://www.mdpi.com/2304-8158/13/4/526

29 url: https://pubmed.ncbi.nlm.nih.gov/39139801/

30 url: https://wis-wander.weizmann.ac.il/life-sciences/fingerprinting-our-sense-smell

31 url: https://www.stanfordmicrofluidics.com/design-basics

32 url: https://patents.google.com/patent/US20100155414A1/en

33 url: https://piezodirect.com/understanding-the-mechanism-of-piezoelectric-atomizers/

34 url: https://piezodirect.com/ultrasonic-atomizer-fundamentals/

35 url: https://www.precedenceresearch.com/digital-scent-technology-market

36 url: https://www.sony.co.jp/en/Products/OlfactiveTechnologies/

37 url: https://www.lincenergysystems.com/natural-gas-odorization/odorizer/gpl-510-high-pressure-system/

38 url: https://precoomaha.com/natural-gas-products/pump-injection-odorizer-system/

39 url: https://www.alibaba.com/showroom/atomization-scent-diffuser.html

40 url: https://www.essentialoil.com/blogs/news/diffusers-decoded-ultrasonic-vs-atomizing

41 url: https://www.youtube.com/watch?v=yjgACB7urOo&pp=0gcJCdgAo7VqN5tD

42 url: http://schizophonia.com/archives/Infrasound/VortexRingGenerator.pdf

43 url: https://www.bryant.com/en/us/products/air-

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

purifiers/do-air-purifiers-help-with-smell/

44 url: https://vewiorlife.com/blogs/news/do-air-purifiers-remove-odors

45 url: https://kb.hakkousa.com/Knowledgebase/10644/What-odors-andor-substances-can-be-adsorbed-by-Activated-Carbon

46 url: https://pdhacademy.com/wp-content/uploads/2023/09/437-Activated-Carbon-Odor-Control-Systems.pdf

47 url: https://www.machengineering.com/wet-scrubber-systems/chemical-scrubber/

48 url: https://torch-air.com/blog/industrial-odor-scrubber

49 url: https://aerox.nl/en/technology/

50 url: https://joaairsolutions.com/blog/how-cold-plasma-improves-odor-control/

51 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC11758185/

52 url: https://extension.okstate.edu/fact-sheets/movement-of-odors-off-farm.html

53 url: https://scentbridge.com/pages/scent-delivery-systems

54 url: https://scentbridge.com/products/scentcast-hvac-scent-system

55 url: https://www.aecsystems.eu/products/aircurtain/

56 url: https://www.marsair.com/news/the-6-benefits-of-air-curtains-for-restaurants

57 url: https://en.wikipedia.org/wiki/Digital_scent_technology

58 url: https://phdprincess.com/blog/disney-smells

59 url: https://www.marketsandmarkets.com/blog/SE/ai-digital-scent-technology

60 url: https://www.synapse.org/Synapse:syn2811262/wiki/

61 url: https://www.synapse.org/dreamOlfactoryMixturesPredictionChallenge

62 url: https://www.frontiersin.org/journals/molecular-biosciences/articles/10.3389/fmolb.2024.1498796/full

63 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC3187719/

64 url: https://emotions.market/blog/digital-scents-how-technology-is-bringing-smell-to-the-digital-world/

65 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC8257956/

66 url: https://www.iff.com/media/news/iff-introduces-science-of-performance-a-new-approach-to-elevating-scent-design/

67 url: https://scentbridge.com/products/scentvox-white-bluetooth-dual-270ml-w-liquid-level-reporting

68 url: https://www.armorall.com/product/smoke-x-rapid-odor-eliminator/?bvstate=pg:4/ct:r

69 url: https://www.researchgate.net/publication/325891438_Current_Status_and_Outlook_of_Odor_Removal_Technologies_in_Wastewater_Treatment_Plant

70 url: https://www.chemicalbull.com/blogs/base-chemicals-to-make-perfume

71 url: https://www.alphaaromatics.com/blog/ingredients-used-in-perfumery/

72 url: https://www.mdpi.com/2075-1729/14/1/75

73 url: https://ovrtechnology.com/the-science/

74 url: https://www.kleanland.com/news/compare-odor-removal-smell-eliminating-devices-uv-carbon-plasma/

75 url: https://www.mdpi.com/2073-4441/16/2/280

76 url: https://meteor.ame.asu.edu/publications/SmellEngineIEEEVRR22.pdf

77 url: https://www.ltimindtree.com/wp-content/uploads/2024/02/Digital-Olfaction-The-Sweet-Smell-of-Success-POV-MFG.pdf?pdf=download

78 url: https://www.uploadvr.com/why-smell-is-so-difficult-to-simulate-in-vr/

79 url: https://disrupt.asu.edu/article/smelling-in-vr/

80 url: https://en.wikipedia.org/wiki/Electronic_nose

81 url: https://www.researchgate.net/figure/Summary-of-advantages-and-disadvantages-of-e-nose-sensor-types_tbl2_26630651

82 url: https://www.hplcvials.com/knowledge/gc-ms-a-key-tool-for-flavor-and-fragrance-analysis.html

83 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC10052770/

84 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC11898014/

85 url: https://bsj.studentorg.berkeley.edu/decoding-smell-the-future-of-odor-mapping-with-ai-and-molecular-chemistry/

86 url: https://aryballe.com/wp-content/uploads/2021/07/NeOse_Advance_DS_072121.pdf

87 url: https://aryballe.com/wp-content/uploads/2020/09/NeOse_Pro_v3_DS_090420.pdf

88 url: https://www.precedenceresearch.com/digital-scent-technology-market

89 url: https://www.marketsandmarkets.com/Market-Reports/digital-scent-technology-market-118670062.html

90 url: https://www.globenewswire.com/news-release/2025/02/24/3031241/0/en/Digital-Scent-Technology-Market-to-Worth-USD-2-56-Billion-by-2032-Driven-by-advancements-in-virtual-reality-and-biosensors-Research-by-SNS-Insider.html

91 url: https://www.fortunebusinessinsights.com/digital-scent-technology-market-111576

92 url: https://www.stocktitan.net/news/AIMD/ainos-ai-nose-improves-accuracy-in-hygiene-monitoring-to-85-from-g5vb29ok40vs.html

93 url: https://www.stocktitan.net/news/AIMD/ainos-showcases-breakthrough-ai-nose-technology-at-computex-2025-u4nv4rj0bboi.html

94 url: https://www.research-collection.ethz.ch/bitstream/handle/20.500.11850/700115/Real-TimeScentPredictionandReleaseforVideoGames.pdf?sequence=8&isAllowed=y

95 url: https://www.compasslist.com/insights/scentrealm-digitally-reproducing-scents-on-demand

96 url: https://cacm.acm.org/news/whats-that-smell/

97 url: https://www.su.se/english/news/smelling-in-vr-environment-possible-with-new-gaming-

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.

Page 6 of 34 | *DOI:* 10.5281/zenodo.15576970

technology-1.630811

98 url: https://www.sciencedaily.com/releases/2025/04/250430142346.htm

99 url: https://www.managexr.com/customer-stories/ovr

100 url: https://www.aeen.org/why-your-nose-knows-what-sells-inside-the-ascent-of-scent-marketing/

101 url: https://www.businessnewsdaily.com/3469-smells-shoppers-spend-more.html

102 url: https://ambiq.com/blog/digital-smell-it-makes-scents/

103 url: https://www.the-scientist.com/disease-scent-signatures-disclose-what-the-nose-knows-71161

104 url: https://www.uis.no/en/research/childrens-experiences-of-smells-and-scents

105 url: https://aeon.co/essays/how-smells-can-boost-childrens-learning-and-pleasure

106 url: https://www.sciencedaily.com/releases/2025/04/250423112654.htm

107 url: https://scienceblog.com/neuroedge/2025/04/23/generative-ai-learns-to-make-perfume/

108 url: https://ramsonsperfumes.com/blogs/news/ai-and-fragrance-how-technology-is-shaping-the-future-of-perfume-creation

109 url: https://cartcoders.com/blog/ecommerce/ai-personalized-recommendations-for-perfume-brand/

110 url: https://academic.oup.com/chemse/article/41/2/105/2365977

111 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC9874024/

112 url: https://www.snsinsider.com/reports/digital-scent-technology-market-5681

113 url: https://www.alphaaromatics.com/blog/ifra-compliance/

114 url: https://patentpc.com/blog/the-legal-framework-for-smell-trademarks-what-you-need-to-know

115 url: https://www.intepat.com/blog/copy-paste-perfumes-the-legal-battle-over-fragrance-dupes/

116 url: http://www.fastercapital.com/content/Scent-Sensor-Technology--Scent-Sensor-Technology--A-Game-Changer-for-Personalized-Marketing-Strategies.html

117 url: https://technologyandsociety.org/odorveillance-and-the-ethics-of-robotic-olfaction/

118 url: https://bluemonarchgroup.com/blog/ethical-considerations-in-the-use-of-subliminal-influence/

119 url: https://www.stimul-i.com/news/the-power-of-subliminal-messaging-an-unseen-influence/

120 url: https://pmc.ncbi.nlm.nih.gov/articles/PMC10817253/

121 url: https://www.mnphy.com/0624-cover-one-chris-campbell

122 url: https://patents.google.com/patent/US10556034B2/en

123 url: https://patents.google.com/patent/US20100155414A1/en

For personal use only.
No other uses without permission. Copyright © 2025 Ahasun R. Tiko.